



ATOLUX

Cylus 40 black

The Cylus 40 black is a premium architectural LED luminaire, specially designed for modern offices, town halls, public spaces, reception desks and welcome area...

CATEGORY

Pendant luminaires

MOUNTING

Pendant

IP CLASS

IP20 (boven) / IP20 (onder)

COLOUR TEMPERATURE

3000K, 4000K

CRI

CRI90

Introduction

The Cylus 40 black is a premium architectural LED luminaire, specially designed for modern offices, town halls, public spaces, reception desks and welcome area...

With the Cylus 40 Black, you choose architectural lighting that unites design and light quality. Designed for kantoren, musea, zorg, education, public spaces, vrijetijdssector, the luminaire integrates neatly into the design and delivers comfortable, considered light. Thanks to its thoughtful detailing and high-quality finish, it is a choice that lasts for years — and makes your project look better.

Features

Slim 40 mm aluminium light tube

Comfortable reflector optics for task and accent lighting

Integrated driver for a clean, interference-free design

Ideal for offices, public buildings, reception desks, entrances and waiting areas

Modern look in a durable matt black finish

surface-mounted or recessed module optional.

Technical specifications

Mounting	Pendant
Application	Kantoren, Musea, Zorg, Education, Public spaces, Vrijetijdssector
Dimensions	40x300mm
Material	Aluminium (behuizing)
Optics	Reflector
IP class	IP20 (boven) / IP20 (onder)
CRI	CRI90
CCT	3000K, 4000K
Control	aan/uit, DALI-2, 1-10v, Casambi, On request
Voltage / freq.	220-240V, 50 / 60Hz
Photobiological safety	IEC 62471: RG1 (low risk)
Insulation class	Class I
Power factor	>0.9
Ambient temperature	-20°C / +40°C
Colour	RAL9005
Brand	Atolux
Category	Pendant luminaires

Product photos

Atmosphere and product images



Specification text

The Cylus 40 black is a premium architectural LED luminaire, specially designed for modern offices, town halls, public spaces, reception desks and welcome areas. Thanks to its elegant tubular design of just 40 mm, made from durable aluminium, this luminaire offers a perfect balance between design, performance and functionality. - Slim 40 mm aluminium light tube - Comfortable reflector optics for task and accent lighting - Integrated driver for a clean, interference-free design - Ideal for offices, public buildings, reception desks, entrances and waiting areas - Modern look in a durable matt black finish - surface-mounted or recessed module optional. - Designed for long-term reliability and professional projects

Information

Note

Specifications depend on the project and configuration. Always consult the current technical documentation.

This datasheet is compiled from structured product information based on XML source data and the current source page. Specifications may vary per project configuration.

Atomis Architectural Lighting · atomislighting.com · The Netherlands

Generated on 28 August 2026