

ATOLUX

Cylus 40 white

The Cylus 40 White is a premium architectural LED luminaire, specially designed for modern offices, town halls, public spaces, reception desks and welcome area…

CATEGORY	MOUNTING	IP CLASS
Pendant luminaires	**Pendant**	**IP20 (boven) / IP20 (onder)**

COLOUR TEMPERATURE	CRI
3000K, 4000K	**CRI90**

Introduction

The Cylus 40 White is a premium architectural LED luminaire, specially designed for modern offices, town halls, public spaces, reception desks and welcome area…

With the Cylus 40 White, you choose architectural lighting that unites design and light quality. Designed for kantoren, musea, zorg, education, public spaces, vrijetijdssector, the luminaire integrates neatly into the design and delivers comfortable, considered light. Thanks to its thoughtful detailing and high-quality finish, it is a choice that lasts for years — and makes your project look better.

Features

- Slim 40 mm aluminium light tube
- Comfortable reflector optics for task and accent lighting
- Integrated driver for a clean, interference-free design
- Ideal for offices, public buildings, reception desks, entrances and waiting areas
- Modern look in a durable matt white finish
- surface-mounted or recessed module optional.

Technical specifications

Mounting	**Pendant**
Application	**Kantoren, Musea, Zorg, Education, Public spaces, Vrijetijdssector**
Dimensions	**40x300mm**
Material	**Aluminium (behuizing)**
Optics	**Reflector**
IP class	**IP20 (boven) / IP20 (onder)**
CRI	**CRI90**
CCT	**3000K, 4000K**
Control	**aan/uit, DALI-2, 1-10v, Casambi, On request**
Service life	**L90@100.000 uur**
Voltage / freq.	**220-240V, 50 / 60Hz**
Photobiological safety	**IEC 62471: RG1 (low risk)**
Insulation class	**Class I**
Power factor	**>0.9**
Ambient temperature	**-20°C / +40°C**
Colour	**RAL9016**
Brand	**Atolux**
Category	**Pendant luminaires**

Product photos

Atmosphere and product images



Specification text

The Cylus 40 White is a premium architectural LED luminaire, specially designed for modern offices, town halls, public spaces, reception desks and welcome areas. Thanks to its elegant tubular design of just 40 mm, made from durable aluminium, this luminaire offers a perfect balance between design, performance and functionality. - Slim 40 mm aluminium light tube - Comfortable reflector optics for task and accent lighting - Integrated driver for a clean, interference-free design - Ideal for offices, public buildings, reception desks, entrances and waiting areas - Modern look in a durable matt white finish - surface-mounted or recessed module optional. - Designed for long-term reliability and professional projects

Information

Note

Specifications depend on the project and configuration. Always consult the current technical documentation.

This datasheet is compiled from structured product information based on XML source data and the current source page. Specifications may vary per project configuration.

Atomis Architectural Lighting · atomislighting.com · The Netherlands

Generated on 13 November 2026