


ATOMIS

Evolo-Grill

Evolo-Grill is an elegant, slim LED luminaire fitted with a row of mid-power LEDs, each with its own lens and louvre. This luminaire is specially designed for …

CATEGORY **Baffle luminaires**	MOUNTING **Recessed**	IP CLASS **IP20 (boven) / IP20 (onder)**
COLOUR TEMPERATURE **2700K, 3000K, 4000K, Tunable white, op aanvraag**	CRI **CRI80, CRI90**	UGR **<19**

Introduction

Evolo-Grill is an elegant, slim LED luminaire fitted with a row of mid-power LEDs, each with its own lens and louvre. This luminaire is specially designed for …

With the Evolo-Grill, you choose architectural lighting that unites design and light quality. Designed for kantoren, musea, zorg, education, public spaces, vrijetijdssector, the luminaire integrates neatly into the design and delivers comfortable, considered light. Thanks to its thoughtful detailing and high-quality finish, it is a choice that lasts for years — and makes your project look better.

Technical specifications

Mounting	**Recessed**
Application	**Kantoren, Musea, Zorg, Education, Public spaces, Vrijetijdssector**
Dimensions	**On request**
Material	**Staal (behuizing)**
Optics	**Lens met Louver**
UGR	**<19**
IP class	**IP20 (boven) / IP20 (onder)**
CRI	**CRI80, CRI90**
CCT	**2700K, 3000K, 4000K, Tunable white, On request**
Control	**aan/uit, DALI-2, 1-10v, Casambi, On request**
Emergency lighting	**1-hour emergency power, 1 uur autonomie autotest**
Service life	**L90@50.000 uur**
Voltage / freq.	**220-240V, 50 / 60Hz**
Photobiological safety	**IEC 62471: RG1 (low risk)**
Insulation class	**Class II**
Power factor	**>0.9**
Ambient temperature	**-20°C / +40°C**
Colour	**RAL9016, RAL9005, On request**
Brand	**Atomis**
Category	**Baffle luminaires**

Product photos

Atmosphere and product images



Specification text

Evolo-Grill is an elegant, slim LED luminaire fitted with a row of mid-power LEDs, each with its own lens and louvre. The luminaire combines a refined design with functional lighting for professional work environments. Its low-glare light distribution with a UGR of 19 makes Evolo-Grill particularly suitable for offices and other spaces where visual comfort is essential. The housing is made of steel and finished with a decorative powder coating. The luminaire is available in matt black or matt white, so it easily blends with different interior styles.

Information

Note

Specifications depend on the project and configuration. Always consult the current technical documentation.

This datasheet is compiled from structured product information based on XML source data and the current source page. Specifications may vary per project configuration.

Atomis Architectural Lighting · atomislighting.com · The Netherlands

Generated on 1 November 2026