



ATOMIS

Evolo-Grill

Evolo-Grill is an elegant, slim LED luminaire fitted with a row of mid-power LEDs, each with its own lens and louvre. This luminaire is specially designed for ...

CATEGORY

Baffle luminaires

MOUNTING

Recessed

IP CLASS

IP20 (boven) / IP20 (onder)

COLOUR TEMPERATURE

**2700K, 3000K, 4000K, Tunable
white, op aanvraag**

CRI

CRI80, CRI90

UGR

<19

Introduction

Evolu-Grill is an elegant, slim LED luminaire fitted with a row of mid-power LEDs, each with its own lens and louvre. This luminaire is specially designed for ...

With the Evolu-Grill, you choose architectural lighting that unites design and light quality. Designed for kantoren, musea, zorg, education, public spaces, vrijetijdssector, the luminaire integrates neatly into the design and delivers comfortable, considered light. Thanks to its thoughtful detailing and high-quality finish, it is a choice that lasts for years — and makes your project look better.

Technical specifications

Mounting	Recessed
Application	Kantoren, Musea, Zorg, Education, Public spaces, Vrijetijdssector
Dimensions	On request
Material	Staal (behuizing)
Optics	Lens met Louver
UGR	<19
IP class	IP20 (boven) / IP20 (onder)
CRI	CRI80, CRI90
CCT	2700K, 3000K, 4000K, Tunable white, On request
Control	aan/uit, DALI-2, 1-10v, Casambi, On request
Emergency lighting	1 uur noodtroom, 1 uur autonomie autotest
Voltage / freq.	220-240V, 50 / 60Hz
Photobiological safety	IEC 62471: RG1 (low risk)
Insulation class	Class II
Power factor	>0.9
Ambient temperature	-20°C / +40°C
Colour	RAL9016, RAL9005, On request
Brand	Atomis
Category	Baffle luminaires

Product photos

Atmosphere and product images



Specification text

Evolu-Grill is an elegant, slim LED luminaire fitted with a row of mid-power LEDs, each with its own lens and louvre. The luminaire combines a refined design with functional lighting for professional work environments. Its low-glare light distribution with a UGR of 19 makes Evolu-Grill particularly suitable for offices and other spaces where visual comfort is essential. The housing is made of steel and finished with a decorative powder coating. The luminaire is available in matt black or matt white, so it easily blends with different interior styles.

Information

Note

Specifications depend on the project and configuration. Always consult the current technical documentation.

This datasheet is compiled from structured product information based on XML source data and the current source page. Specifications may vary per project configuration.

Atomis Architectural Lighting · atomislighting.com · The Netherlands

Generated on 1 September 2026