



## ATOMIS

# Fusion-Grill

Fusion-Grill is a compact luminaire with a microprismatic lens, developed for installation in system ceilings. This luminaire is available in various sizes (wi...

### CATEGORY

**Baffle luminaires**

### MOUNTING

**Recessed**

### IP CLASS

**IP20 (boven) / IP20 (onder)**

### COLOUR TEMPERATURE

**2700K, 3000K, 4000K, Tunable  
white, op aanvraag**

### CRI

**CRI80, CRI90**

### UGR

**<19**

## Introduction

Fusion-Grill is a compact luminaire with a microprismatic lens, developed for installation in system ceilings. This luminaire is available in various sizes (wi...

With the Fusion-Grill, you choose architectural lighting that unites design and light quality. Designed for kantoren, zorg, education, public spaces, vrijetijdssector, the luminaire integrates neatly into the design and delivers comfortable, considered light. Thanks to its thoughtful detailing and high-quality finish, it is a choice that lasts for years — and makes your project look better.

---

## Features

Compact luminaire for system ceilings

Custom luminaire available with dimensions on request

Microprismatic lens (UGR < 19)

Matt black or matt white textured powder coating

## Technical specifications

|                        |                                                                  |
|------------------------|------------------------------------------------------------------|
| Mounting               | <b>Recessed</b>                                                  |
| Application            | <b>Kantoren, Zorg, Education, Public spaces, Vrijtjidssector</b> |
| Dimensions             | <b>On request</b>                                                |
| Material               | <b>Staal (behuizing)</b>                                         |
| Optics                 | <b>Microprisma</b>                                               |
| UGR                    | <b>&lt;19</b>                                                    |
| IP class               | <b>IP20 (boven) / IP20 (onder)</b>                               |
| CRI                    | <b>CRI80, CRI90</b>                                              |
| CCT                    | <b>2700K, 3000K, 4000K, Tunable white, On request</b>            |
| Control                | <b>aan/uit, DALI-2, 1-10v, Casambi, On request</b>               |
| Emergency lighting     | <b>1 uur noodtroom, 1 uur autonomie autotest</b>                 |
| Voltage / freq.        | <b>220-240V, 50 / 60Hz</b>                                       |
| Photobiological safety | <b>IEC 62471: RG1 (low risk)</b>                                 |
| Insulation class       | <b>Class II</b>                                                  |
| Power factor           | <b>&gt;0.9</b>                                                   |
| Ambient temperature    | <b>-20°C / +40°C</b>                                             |
| Colour                 | <b>RAL9016, RAL9005, On request</b>                              |
| Brand                  | <b>Atomis</b>                                                    |
| Category               | <b>Baffle luminaires</b>                                         |

## Product photos

Atmosphere and product images



## Specification text

Fusion-Grill is a compact luminaire with a microprismatic lens, developed for installation in system ceilings. This luminaire is available in various sizes (width and length) with a matt finish to suit the different types of grill ceilings on the market. - Compact luminaire for system ceilings - Custom luminaire available with dimensions on request - Microprismatic lens (UGR < 19) - Matt black or matt white textured powder coating

## Information

### Note

Specifications depend on the project and configuration. Always consult the current technical documentation.

This datasheet is compiled from structured product information based on XML source data and the current source page. Specifications may vary per project configuration.

---

Atomis Architectural Lighting · atomislighting.com · The Netherlands

Generated on 25 August 2026