



ATOMIS

Fusion-L

Fusion-L is a linear luminaire with a prismatic lens or an opal diffuser for use in suspended linear wooden panel ceilings. This lets you create integrated lig...

CATEGORY

Baffle luminaires

MOUNTING

Pendant

IP CLASS

IP20 (naar boven)/IP40 (naar beneden)

COLOUR TEMPERATURE

2700K, 3000K, 3500K, 4000K, Tunable White

CRI

CR180, CR190

UGR

<19

Introduction

Fusion-L is a linear luminaire with a prismatic lens or an opal diffuser for use in suspended linear wooden panel ceilings. This lets you create integrated lig...

With the Fusion-L, you choose architectural lighting that unites design and light quality. Designed for hospitality, office, education, public spaces, the luminaire integrates neatly into the design and delivers comfortable, considered light. Thanks to its thoughtful detailing and high-quality finish, it is a choice that lasts for years — and makes your project look better.

Features

- Can be seamlessly integrated into suspended linear wooden panel ceilings

- Architectural appearance of a wood look and sleek ceiling lines


- Fitted with a prismatic lens (UGR < 19) or an opal diffuser


Technical specifications

Mounting	Pendant
Application	Hospitality, Office, Education, Public spaces
Material	Acrylic, Aluminium, Steel
Optics	Microprismatic lens, Opal diffuser
UGR	<19
IP class	IP20 (naar boven)/IP40 (naar beneden)
CRI	CRI80, CRI90
CCT	2700K, 3000K, 3500K, 4000K, Tunable White
Control	1-10V dimmable, Casambi dimmable, DALI dimmable, Optional
Emergency lighting	1-hour emergency power, Optional, Optional 1-hour autonomy self-test
Efficiency	>140lm/W
Photobiological safety	IEC 62471: RG1 (low risk)
Insulation class	Class II
Power factor	>0.9
Ambient temperature	-20°C / +40°C
Options	Attached to the luminaire, Remote driver, Optional, BST 14i2, Europlug, GST18i3, GST18i5 pastelblauw, On request, On the driver
Brand	Atomis
Category	Baffle luminaires

Product photos


Atmosphere and product images — technical drawings are on a separate page





Technical drawings

Dimensions and line art — not to scale



Photometric drawing

Specification text

Fusion-L is a linear luminaire with a prismatic lens or an opal diffuser for use in suspended linear wooden panel ceilings. This lets you create integrated lighting within entirely unique, sleek wooden ceiling lines. - Can be seamlessly integrated into suspended linear wooden panel ceilings - Architectural appearance of a wood look and sleek ceiling lines - Fitted with a prismatic lens (UGR < 19) or an opal diffuser

Information

Note

Specifications depend on the project and configuration. Always consult the current technical documentation.

This datasheet is compiled from structured product information based on XML source data and the current source page. Specifications may vary per project configuration.

Atomis Architectural Lighting · atomislighting.com · The Netherlands

Generated on 9 July 2026