

ATOMIS

Meson Refit pro

Meson Refit pro is an efficient recessed LED spot suitable for a large number of existing ceiling cut-outs.

CATEGORY	MOUNTING	IP CLASS
Downlights & recessed spots, Refurbishment armaturen	**Recessed**	**IP20 (boven) / IP20 (onder)**

COLOUR TEMPERATURE	CRI	UGR
2700K, 3000K, 4000K, Tunable white, op aanvraag	**CRI80, CRI90**	**<19**

Introduction

Meson Refit pro is an efficient recessed LED spot suitable for a large number of existing ceiling cut-outs.

With the Meson Pro Refit, you choose architectural lighting that unites design and light quality. Designed for kantoren, zorg, education, public spaces, vrijetijdssector, the luminaire integrates neatly into the design and delivers comfortable, considered light. Thanks to its thoughtful detailing and high-quality finish, it is a choice that lasts for years — and makes your project look better.

Technical specifications

Mounting	**Recessed**
Application	**Kantoren, Zorg, Education, Public spaces, Vrijetijdssector**
Dimensions	**245mm**
Material	**Staal (behuizing)**
Optics	**Reflector met Opaal**
UGR	**<19**
IP class	**IP20 (boven) / IP20 (onder)**
CRI	**CRI80, CRI90**
CCT	**2700K, 3000K, 4000K, Tunable white, On request**
Control	**aan/uit, DALI-2, 1-10v, Casambi, On request**
Emergency lighting	**1-hour emergency power, 1 uur autonomie autotest**
Service life	**L90@100.000 uur**
Voltage / freq.	**220-240V, 50 / 60Hz**
Efficiency	**>125lm/W**
Photobiological safety	**IEC 62471: RG1 (low risk)**
Insulation class	**Class II**
Power factor	**>0.9**
Ambient temperature	**-20°C / +40°C**
Colour	**RAL9016, RAL9005, On request**
Options	**220-240V, 50 / 60Hz, 93 100 100 100 100, BST 14i2, Europlug, GST18i3, GST18i5 pastelblauw, L90B50@60, 000h (Tq 25°C), Remote driver, N/A, Downward, On request, On the driver, Round, SDCM=2**
Brand	**Atomis**
Category	**Downlights & recessed spots, Refurbishment armaturen**

Product photos

Atmosphere and product images













Specification text

Meson Pro Refit is a Downlights en inbouwspots, Refurbishment en Retrofit armaturen from the Meson range by Atomis. The luminaire is recessed, directed downward and fitted with Reflector met Opaal. The range is intended for offices, healthcare, education, public spaces and leisure venues.

Information

Note

Specifications depend on the project and configuration. Always consult the current technical documentation.

This datasheet is compiled from structured product information held in the Atomis luminaire database. Specifications may vary per project configuration.

Atomis Architectural Lighting · atomislighting.com · The Netherlands

Generated on 27 November 2026