

ATOMIS

Meson Round 190 Refit

Meson round 190 Refit is a range of powerful recessed LED spots with power LEDs covered by a prismatic lens or a double satin diffuser. Meson round 190 Refit i…

CATEGORY	MOUNTING	IP CLASS
Downlights & recessed spots, Refurbishment armaturen	**Recessed**	**IP20 (boven) / IP20 (onder)**

COLOUR TEMPERATURE	CRI	UGR
2700K, 3000K, 4000K, Tunable white, op aanvraag	**CRI80, CRI90**	**<22**

Introduction

Meson round 190 Refit is a range of powerful recessed LED spots with power LEDs covered by a prismatic lens or a double satin diffuser. Meson round 190 Refit i…

With the Meson round Refit, you choose architectural lighting that unites design and light quality. Designed for kantoren, zorg, education, public spaces, vrijetijdssector, the luminaire integrates neatly into the design and delivers comfortable, considered light. Thanks to its thoughtful detailing and high-quality finish, it is a choice that lasts for years — and makes your project look better.

Technical specifications


Mounting	**Recessed**
Application	**Kantoren, Zorg, Education, Public spaces, Vrijetijdssector**
Dimensions	**245mm**
Material	**Staal (behuizing)**
Optics	**Opaal**
UGR	**<22**
IP class	**IP20 (boven) / IP20 (onder)**
CRI	**CRI80, CRI90**
CCT	**2700K, 3000K, 4000K, Tunable white, On request**
Control	**aan/uit, DALI-2, 1-10v, Casambi, On request**
Emergency lighting	**1-hour emergency power, 1 uur autonomie autotest**
Service life	**L90@100.000 uur**
Voltage / freq.	**220-240V, 50 / 60Hz**
Efficiency	**>125lm/W**
Photobiological safety	**IEC 62471: RG1 (low risk)**
Insulation class	**Class II**
Power factor	**>0.9**
Ambient temperature	**-20°C / +40°C**
Colour	**RAL9016, RAL9005, On request**
Options	**220-240V, 50 / 60Hz, 93 100 100 100 100, BST 14i2, Europlug, GST18i3, GST18i5 pastelblauw, L90B50@60, 000h (Tq 25°C), Remote driver, N/A, Downward, On request, On the driver, Round, SDCM=2**
Brand	**Atomis**
Category	**Downlights & recessed spots, Refurbishment armaturen**

Product photos

Atmosphere and product images







Specification text

Meson round Refit is a Downlights en inbouwspots, Refurbishment en Retrofit armaturen from the Meson range by Atomis. The luminaire is recessed, directed downward and fitted with an opal diffuser. The range is intended for offices, healthcare, education, public spaces and leisure venues.

Information

Note

Specifications depend on the project and configuration. Always consult the current technical documentation.

This datasheet is compiled from structured product information held in the Atomis luminaire database. Specifications may vary per project configuration.

Atomis Architectural Lighting · atomislighting.com · The Netherlands

Generated on 23 November 2026