



ATOMIS

Meson round 190 wallwasher

Meson round 190 wallwasher is a premium recessed LED downlight with an asymmetric light distribution. To ensure even illumination across the whole surface, the...

CATEGORY

Downlights & recessed spots

MOUNTING

Recessed

IP CLASS

IP20 (naar boven)/IP40 (naar beneden)

COLOUR TEMPERATURE

2700K, 3000K, 3500K, 4000K, Tunable White

CRI

CRI80, CRI90, CRI97

UGR

<19, <22

Introduction

Meson round 190 wallwasher is a premium recessed LED downlight with an asymmetric light distribution. To ensure even illumination across the whole surface, the...

With the Meson round 190 wallwasher, you choose architectural lighting that unites design and light quality. Designed for exhibition spaces, hospitality, office, education, public spaces, retail, the luminaire integrates neatly into the design and delivers comfortable, considered light. Thanks to its thoughtful detailing and high-quality finish, it is a choice that lasts for years — and makes your project look better.

Features

Provides even illumination of walls

The central unit can be rotated within the trim to adjust the spot direction

Particularly suitable for retail lighting

Low-glare lighting

Technical specifications

Mounting	Recessed
Application	Exhibition spaces, Hospitality, Office, Education, Public spaces, Retail
Material	Acrylic, Steel
Optics	Reflector
UGR	<19, <22
IP class	IP20 (naar boven)/IP40 (naar beneden)
CRI	CRI80, CRI90, CRI97
CCT	2700K, 3000K, 3500K, 4000K, Tunable White
Control	1-10V dimmable, Casambi dimmable, DALI dimmable, Optional
Emergency lighting	1-hour emergency power, Optional, Optional 1-hour autonomy self-test
Efficiency	>125lm/W
Photobiological safety	IEC 62471: RG1 (low risk)
Insulation class	Class II
Power factor	>0.9
Ambient temperature	-20°C / +40°C
Options	170mm, 220-240V, 50 / 60Hz, 93 100 100 100 100, BST 14i2, Europlug, GST18i3, GST18i5 pastelblauw, L90B50@60, 000h (Tq 25°C), Remote driver, N/A, Downward, On request, On the driver, Round, SDCM=2
Brand	Atomis
Category	Downlights & recessed spots


Product photos

Atmosphere and product images — technical drawings are on a separate page



Technical drawings

Dimensions and line art — not to scale



Photometric drawing

Specification text

Meson round 190 wallwasher is a premium recessed LED downlight with an asymmetric light distribution. To ensure even illumination across the whole surface, the distance to the wall for wallwashers should not exceed 50–60 cm. The central unit can be rotated within the trim to adjust the spot direction. - Provides even illumination of walls - The central unit can be rotated within the trim to adjust the spot direction - Particularly suitable for retail lighting - Low-glare lighting

Information

Note

Specifications depend on the project and configuration. Always consult the current technical documentation.

This datasheet is compiled from structured product information based on XML source data and the current source page. Specifications may vary per project configuration.

Atomis Architectural Lighting · atomislighting.com · The Netherlands

Generated on 12 July 2026