



ATOMIS

Meson square 180 cardanic SAPP

Meson square 180 cardanic SAPP is a range of recessed LED spots suitable for use in Interlu SAPP® ceilings. A gimbal (cardanic) mechanism allows easy adjustme...

CATEGORY

Climate ceiling luminaires, Baffle luminaires

MOUNTING

Recessed

IP CLASS

IP20 (naar boven)/IP40 (naar beneden)

COLOUR TEMPERATURE

2700K, 3000K, 3500K, 4000K, Tunable White

CRI

CRI80, CRI90, CRI97

UGR

n-v-t-

Introduction

Meson square 180 cardanic SAPP is a range of recessed LED spots suitable for use in Interlu SAPP® ceilings. A gimbal (cardanic) mechanism allows easy adjustme...

With the Meson square 180 cardanic SAPP, you choose architectural lighting that unites design and light quality. Designed for exhibition spaces, hospitality, office, education, public spaces, retail, the luminaire integrates neatly into the design and delivers comfortable, considered light. Thanks to its thoughtful detailing and high-quality finish, it is a choice that lasts for years — and makes your project look better.

Features

Easy integration into Interlu SAPP® ceilings

Can be combined with other square 180 SAPP® downlights


Fitted with a Jordan Alunova® reflector with spherical facets, available in 24° or 40° beams

Technical specifications

Mounting	Recessed
Application	Exhibition spaces, Hospitality, Office, Education, Public spaces, Retail
Material	Acrylic, Steel
Optics	Reflector
UGR	n-v-t-
IP class	IP20 (naar boven)/IP40 (naar beneden)
CRI	CRI80, CRI90, CRI97
CCT	2700K, 3000K, 3500K, 4000K, Tunable White
Control	1-10V dimmable, Casambi dimmable, DALI dimmable, Optional
Emergency lighting	1-hour emergency power, Optional, Optional 1-hour autonomy self-test
Efficiency	>125lm/W
Photobiological safety	IEC 62471: RG1 (low risk)
Insulation class	Class II
Power factor	>0.9
Ambient temperature	-20°C / +40°C
Options	180x180mm, 220-240V, 50 / 60Hz, 93 100 100 100 100, BST 14i2, Europlug, GST18i3, GST18i5 pastelblauw, L90B50@60, 000h (Tq 25°C), Remote driver, N/A, Downward, On request, On the driver, SDCM=2, Square
Brand	Atomis
Category	Climate ceiling luminaires, Baffle luminaires

Product photos

Atmosphere and product images



Specification text

Meson square 180 cardanic SAPP is a range of recessed LED spots suitable for use in Interlu SAPP® ceilings. A gimbal (cardanic) mechanism allows easy adjustment of the spot up to 30° in all directions. - Easy integration into Interlu SAPP® ceilings - Can be combined with other square 180 SAPP® downlights - Fitted with a Jordan Alunova® reflector with spherical facets, available in 24° or 40° beams

Information

Note

Specifications depend on the project and configuration. Always consult the current technical documentation.

This datasheet is compiled from structured product information based on XML source data and the current source page. Specifications may vary per project configuration.

Atomis Architectural Lighting · atomislighting.com · The Netherlands

Generated on 9 July 2026