

ATOMIS

Moonglow round 290

Moonglow round 290 is a surface-mounted luminaire with a decorative luminous disc-shaped acrylic diffuser.

CATEGORY
Surface-mounted luminaires

MOUNTING
Surface-mounted

IP CLASS
IP20 (boven) / IP20 (onder)

COLOUR TEMPERATURE
2700K, 3000K, 4000K, Tunable white, op aanvraag

CRI
CRI80, CRI90

Introduction

Moonglow round 290 is a surface-mounted luminaire with a decorative luminous disc-shaped acrylic diffuser.

With the Moonglow round 290 White, you choose architectural lighting that unites design and light quality. Designed for kantoren, zorg, education, public spaces, vrijetijdssector, the luminaire integrates neatly into the design and delivers comfortable, considered light. Thanks to its thoughtful detailing and high-quality finish, it is a choice that lasts for years — and makes your project look better.

Technical specifications

Mounting	**Surface-mounted**
Application	**Kantoren, Zorg, Education, Public spaces, Vrijetijdssector**
Dimensions	**290mm**
Material	**Staal (behuizing)**
Optics	**Opal diffuser**
IP class	**IP20 (boven) / IP20 (onder)**
CRI	**CRI80, CRI90**
CCT	**2700K, 3000K, 4000K, Tunable white, On request**
Control	**aan/uit, DALI-2, 1-10v, Casambi, On request**
Emergency lighting	**1-hour emergency power, 1 uur autonomie autotest**
Service life	**L90@100.000 uur**
Voltage / freq.	**220-240V, 50 / 60Hz**
Efficiency	**>80lm/W**
Photobiological safety	**IEC 62471: RG1 (low risk)**
Insulation class	**Class I**
Power factor	**>0.9**
Ambient temperature	**-20°C / +40°C**
Colour	**RAL9016**
Options	**170mm, 220-240V, 50 / 60Hz, 93 100 100 100 100, BST 14i2, Europlug, Integrated, GST18i3, GST18i5 pastelblauw, L90B50@60, 000h (Tq 25°C), N/A, Up + down, Downward, On request, On the driver, Adjustable, Round, SDCM=3**
Brand	**Atomis**
Category	**Surface-mounted luminaires**

Product photos

Atmosphere and product images



Specification text

Moonglow round 290 white is a surface-mounted luminaire from the Moonglow range by Atomis. The luminaire is surface-mounted and Indirect. The range is intended for offices, healthcare, education, public spaces and leisure venues.

Information

Note

Specifications depend on the project and configuration. Always consult the current technical documentation.

This datasheet is compiled from structured product information held in the Atomis luminaire database. Specifications may vary per project configuration.

Atomis Architectural Lighting · atomislighting.com · The Netherlands

Generated on 7 November 2026