



ATOMIS

Moonglow round 290

Moonglow round 290 is a surface-mounted luminaire with a decorative luminous disc-shaped acrylic diffuser.

CATEGORY

Surface-mounted luminaires

MOUNTING

Ceiling-mounted, Wall-mounted

IP CLASS

IP20 (naar boven)/IP40 (naar beneden)

COLOUR TEMPERATURE

2700K, 3000K, 3500K, 4000K, Tunable White

CRI

CR180, CR190

UGR

n-v-t-

Introduction

Moonglow round 290 is a surface-mounted luminaire with a decorative luminous disc-shaped acrylic diffuser.

With the Moonglow round 290, you choose architectural lighting that unites design and light quality. Designed for exhibition spaces, hospitality, office, education, public spaces, retail, the luminaire integrates neatly into the design and delivers comfortable, considered light. Thanks to its thoughtful detailing and high-quality finish, it is a choice that lasts for years — and makes your project look better.

Features

Effective lighting with a decorative architectural appearance

Wall or ceiling mounting

Matt black or matt white finish

IK06 impact-resistant for use in corridors and stairwells

Emergency lighting version available

Technical specifications

Mounting	Ceiling-mounted, Wall-mounted
Application	Exhibition spaces, Hospitality, Office, Education, Public spaces, Retail
Material	Acrylic, Steel
Optics	Opal diffuser
UGR	n-v-t-
IP class	IP20 (naar boven)/IP40 (naar beneden)
CRI	CRI80, CRI90
CCT	2700K, 3000K, 3500K, 4000K, Tunable White
Control	1-10V dimmable, Casambi dimmable, DALI dimmable, Optional
Emergency lighting	1-hour emergency power, Optional, Optional 1-hour autonomy self-test
Efficiency	>80lm/W
Photobiological safety	IEC 62471: RG1 (low risk)
Insulation class	Class II
Power factor	>0.9
Ambient temperature	-20°C / +40°C
Options	Ø170mm, 220-240V, 50 / 60Hz, 93 100 100 100 100, BST 14i2, Europlug, Integrated, GST18i3, GST18i5 pastelblauw, L90B50@60, 000h (Tq 25°C), N/A, Up + down, Downward, On request, On the driver, Adjustable, Round, SDCM=3
Brand	Atomis
Category	Surface-mounted luminaires


Product photos

Atmosphere and product images — technical drawings are on a separate page



Technical drawings

Dimensions and line art — not to scale



Photometric drawing

Specification text

Moonglow round 290 is a surface-mounted luminaire with a decorative luminous disc-shaped acrylic diffuser. - Effective lighting with a decorative architectural appearance - Wall or ceiling mounting - Matt black or matt white finish - IK06 impact-resistant for use in corridors and stairwells - Emergency lighting version available

Information

Note

Specifications depend on the project and configuration. Always consult the current technical documentation.

This datasheet is compiled from structured product information based on XML source data and the current source page. Specifications may vary per project configuration.

Atomis Architectural Lighting · atomislighting.com · The Netherlands

Generated on 9 July 2026