



**ATOMIS**

# Oxo 35 Black

Oxo 35 Black is an adjustable recessed spot with a 36° lens. This spot is an elegant miniature recessed spot that can be used both as a directional spot and as...

**CATEGORY**

**Downlights & recessed spots**

**MOUNTING**

**Recessed**

**IP CLASS**

**IP20 (naar boven)/IP40 (naar beneden)**

**COLOUR TEMPERATURE**

**3000K, 4000K**

**CRI**

**CRI80, CRI90, CRI97**

**UGR**

**n-v-t-**

## Introduction

Oxo 35 Black is an adjustable recessed spot with a 36° lens. This spot is an elegant miniature recessed spot that can be used both as a directional spot and as...

With the Oxo 35 Black, you choose architectural lighting that unites design and light quality. Designed for exhibition spaces, hospitality, office, education, public spaces, retail, the luminaire integrates neatly into the design and delivers comfortable, considered light. Thanks to its thoughtful detailing and high-quality finish, it is a choice that lasts for years — and makes your project look better.

---

## Features

Miniature adjustable spot (ø35 mm) that can also be pushed up until it is fully recessed into the ceiling

Fitted with a 36° FWHM lens

High colour rendering index (CRI > 90)

On/off, DALI-dimmable and Casambi-dimmable versions available

## Technical specifications

Mounting	<b>Recessed</b>
Application	<b>Exhibition spaces, Hospitality, Office, Education, Public spaces, Retail</b>
Material	<b>Aluminium</b>
Optics	<b>Lens</b>
UGR	<b>n-v-t-</b>
IP class	<b>IP20 (naar boven)/IP40 (naar beneden)</b>
CRI	<b>CRI80, CRI90, CRI97</b>
CCT	<b>3000K, 4000K</b>
Control	<b>1-10V dimmable, Casambi dimmable, DALI dimmable, Optional</b>
Emergency lighting	<b>1-hour emergency power, Optional, Optional 1-hour autonomy self-test</b>
Efficiency	<b>&gt;70lm/W</b>
Photobiological safety	<b>IEC 62471: RG1 (low risk)</b>
Insulation class	<b>Class I</b>
Power factor	<b>&gt;0.9</b>
Ambient temperature	<b>-20°C / +40°C</b>
Options	<b>220-240V, 50 / 60Hz, 93 100 100 100 100, BST 14i2, Europlug, GST18i3, GST18i5 pastelblauw, L90B50@60, 000h (Tq 25°C), Remote driver, N/A, Downward, On request, On the driver, Round, SDCM=2</b>
Brand	<b>Atomis</b>
Category	<b>Downlights &amp; recessed spots</b>

## Technical drawings

Dimensions and line art — not to scale



Photometric drawing

## Specification text

Oxo 35 Black is an adjustable recessed spot with a 36° lens. This spot is an elegant miniature recessed spot that can be used both as a directional spot and as a recessed spot. - Miniature adjustable spot (ø35 mm) that can also be pushed up until it is fully recessed into the ceiling - Fitted with a 36° FWHM lens - High colour rendering index (CRI > 90) - On/off, DALI-dimmable and Casambi-dimmable versions available

## Information

### Note

Specifications depend on the project and configuration. Always consult the current technical documentation.

This datasheet is compiled from structured product information based on XML source data and the current source page. Specifications may vary per project configuration.

---

Atomis Architectural Lighting · atomislighting.com · The Netherlands

Generated on 5 July 2026