



ATOMIS

Oxo 35 SAPP

Oxo 35 SAPP is an adjustable spot with a 36° lens. This spot is an elegant miniature spot for use within the Interlu SAPP ceiling.

CATEGORY

Climate ceiling luminaires, Baffle luminaires

MOUNTING

Recessed

IP CLASS

IP20 (naar boven)/IP40 (naar beneden)

CRI

CRI80, CRI90, CRI97

UGR

n-v-t-

Introduction

Oxo 35 SAPP is an adjustable spot with a 36° lens. This spot is an elegant miniature spot for use within the Interlu SAPP ceiling.

With the Oxo 35 SAPP, you choose architectural lighting that unites design and light quality. Thanks to its thoughtful detailing and high-quality finish, it is a choice that lasts for years — and makes your project look better.

Features

Miniature adjustable spot (ø35 mm)

Fitted with a 36° FWHM lens

High colour rendering index (CRI > 90)

On/off, DALI-dimmable and Casambi-dimmable versions available

Technical specifications

Mounting	Recessed
Material	Aluminium
Optics	Lens
UGR	n-v-t-
IP class	IP20 (naar boven)/IP40 (naar beneden)
CRI	CRI80, CRI90, CRI97
Control	1-10V dimmable, Casambi dimmable, DALI dimmable, Optional
Emergency lighting	1-hour emergency power, Optional, Optional 1-hour autonomy self-test
Efficiency	>70lm/W
Photobiological safety	IEC 62471: RG1 (low risk)
Insulation class	Class II
Power factor	>0.9
Ambient temperature	-20°C / +40°C
Options	93 100 100 100 100, BST 14i2, Europlug, GST18i3, GST18i5 pastelblauw, L90B50@60, 000h (Tq 25°C), Remote driver, N/A, On request, On the driver, Adjustable, Round, SDCM=2
Brand	Atomis
Category	Climate ceiling luminaires, Baffle luminaires

Product photos

Atmosphere and product images



Specification text

Oxo 35 SAPP is an adjustable spot with a 36° lens. This spot is an elegant miniature spot for use within the Interlu SAPP ceiling. - Miniature adjustable spot (ø35 mm) - Fitted with a 36° FWHM lens - High colour rendering index (CRI > 90) - On/off, DALI-dimmable and Casambi-dimmable versions available

Information

Note

Specifications depend on the project and configuration. Always consult the current technical documentation.

This datasheet is compiled from structured product information based on XML source data and the current source page. Specifications may vary per project configuration.

Atomis Architectural Lighting · atomislighting.com · The Netherlands

Generated on 9 July 2026