



ATOMIS

## Sirio Easy-KlimaPlus®

Sirio Easy-KlimaPlus is a 21.5 mm slim linear luminaire with lenses for use in Interalu Sirio Easy-KlimaPlus ceilings.

**CATEGORY**

**Climate ceiling luminaires**

**MOUNTING**

**Recessed**

**IP CLASS**

**IP20 (naar boven)/IP40 (naar beneden)**

**COLOUR TEMPERATURE**

**Tunable White, 2700K, 3000K, 3500K, 4000K**

**CRI**

**CRI80, CRI90**

**UGR**

**UGR kleiner dan 19**

## Introduction

Sirio Easy-KlimaPlus is a 21.5 mm slim linear luminaire with lenses for use in Interalu Sirio Easy-KlimaPlus ceilings.

With the Sirio Easy-KlimaPlus®, you choose architectural lighting that unites design and light quality. Designed for hospitality, office, education, public spaces, the luminaire integrates neatly into the design and delivers comfortable, considered light. Thanks to its thoughtful detailing and high-quality finish, it is a choice that lasts for years — and makes your project look better.

## Technical specifications

Mounting	<b>Recessed</b>
Application	<b>Hospitality, Office, Education, Public spaces</b>
Material	<b>Acrylic, Steel</b>
Optics	<b>Lens and louvre</b>
UGR	<b>UGR kleiner dan 19</b>
IP class	<b>IP20 (naar boven)/IP40 (naar beneden)</b>
CRI	<b>CRI80, CRI90</b>
CCT	<b>Tunable White, 2700K, 3000K, 3500K, 4000K</b>
Control	<b>1-10V dimmable, Casambi dimmable, DALI dimmable, Optional</b>
Emergency lighting	<b>1-hour emergency power, Optional, Optional 1-hour autonomy self-test</b>
Efficiency	<b>&gt;125lm/W</b>
Photobiological safety	<b>IEC 62471: RG1 (low risk)</b>
Insulation class	<b>Class II</b>
Power factor	<b>&gt;0.9</b>
Ambient temperature	<b>-20°C / +40°C</b>
Options	<b>Volledig geïntegreerd in Interalu Easy-KlimaPlus plafonds met slanke 21, 5 mm verschijningsvorm.</b>
Brand	<b>Atomis</b>
Category	<b>Climate ceiling luminaires</b>


## Product photos

Atmosphere and product images — technical drawings are on a separate page



## Technical drawings

Dimensions and line art — not to scale



Photometric drawing

## Specification text

Sirio Easy-KlimaPlus is a 21.5 mm slim linear luminaire with lenses for use in Interlu Sirio Easy-KlimaPlus ceilings. The luminaire was developed for full integration into the ceiling concept without interrupting its architectural appearance. This makes it suitable for project applications where visual comfort, ceiling integration and a controlled light distribution come together.

## Information

### Note

Specifications depend on the project and configuration. Always consult the current technical documentation.

This datasheet is compiled from structured product information based on XML source data and the current source page. Specifications may vary per project configuration.

---

Atomis Architectural Lighting · atomislighting.com · The Netherlands

Generated on 9 July 2026