



**ATOMIS**

# Sirio SAPP 1200

Linear luminaire with lenses for use in Interalu SAPP ceilings, designed for integration between the ceiling structures.

**CATEGORY**

**Climate ceiling luminaires**

**MOUNTING**

**Recessed**

**IP CLASS**

**IP20 (naar boven)/IP40 (naar beneden)**

**COLOUR TEMPERATURE**

**Tunable White, 2700K, 3000K, 3500K, 4000K**

**CRI**

**CRI80, CRI90**

**UGR**

**UGR <19**

## Introduction

Linear luminaire with lenses for use in Interlu SAPP ceilings, designed for integration between the ceiling structures.

With the Sirio SAPP 1200, you choose architectural lighting that unites design and light quality. Designed for hospitality, office, education, public spaces, the luminaire integrates neatly into the design and delivers comfortable, considered light. Thanks to its thoughtful detailing and high-quality finish, it is a choice that lasts for years — and makes your project look better.

## Technical specifications


Mounting	<b>Recessed</b>
Application	<b>Hospitality, Office, Education, Public spaces</b>
Dimensions	<b>1200 mm lengte, 21, 5 mm breedte</b>
Material	<b>Acrylic, Steel</b>
Optics	<b>Lens and louvre</b>
UGR	<b>UGR &lt;19</b>
IP class	<b>IP20 (naar boven)/IP40 (naar beneden)</b>
CRI	<b>CRI80, CRI90</b>
CCT	<b>Tunable White, 2700K, 3000K, 3500K, 4000K</b>
Control	<b>1-10V dimmable, Casambi dimmable, DALI dimmable, Optional</b>
Emergency lighting	<b>1-hour emergency power, Optional, Optional 1-hour autonomy self-test</b>
Service life	<b>L90B50@60, 000h (Tq 25°C)</b>
Voltage / freq.	<b>220-240V, 50 / 60Hz</b>
Efficiency	<b>&gt;125lm/W</b>
CIE flux code	<b>93 100 100 100 100</b>
Photobiological safety	<b>IEC 62471: RG1 (low risk)</b>
Insulation class	<b>Class II</b>
Power factor	<b>&gt;0.9</b>
Ambient temperature	<b>-20°C / +40°C</b>
Colour	<b>On request</b>
Options	<b>Vrije positionering in afgewerkt plafond zonder onderbreking van het actieve klimaatsysteem.</b>
Brand	<b>Atomis</b>
Category	<b>Climate ceiling luminaires</b>

## Product photos


Atmosphere and product images — technical drawings are on a separate page







Photometric drawing



Technical drawing

## Specification text

Sirio SAPP 1200 is a linear luminaire with lenses for use in Interlu SAPP ceilings. The luminaire can be placed between the structures, creating an integrated system with the ceiling without interrupting its architectural appearance. Thanks to its controlled light distribution, good uniformity and low glare, Sirio SAPP 1200 is suitable for professional work environments where visual comfort and ceiling integration come together.

## Information

### Note

Specifications depend on the project and configuration. Always consult the current technical documentation.

This datasheet is compiled from structured product information based on XML source data and the current source page. Specifications may vary per project configuration.

---

Atomis Architectural Lighting · atomislighting.com · The Netherlands

Generated on 9 July 2026