



ATOLUX

Metronome-K

Linear LED luminaire for climate ceilings, fitted with 20, 28 or 36 recessed lenses behind a louvre grille.

CATEGORY

Climate ceiling luminaires, Baffle luminaires

MOUNTING

Inleg

Introduction

Linear LED luminaire for climate ceilings, fitted with 20, 28 or 36 recessed lenses behind a louvre grille.

With the Track-K, you choose architectural lighting that unites design and light quality. Designed for kantoren, musea, zorg, education, public spaces, vrijetijdssector, retail, the luminaire integrates neatly into the design and delivers comfortable, considered light. Thanks to its thoughtful detailing and high-quality finish, it is a choice that lasts for years — and makes your project look better.

Technical specifications

Mounting	Inleg
Application	Kantoren, Musea, Zorg, Education, Public spaces, Vrijetijdssector, Retail
Dimensions	On request
Material	Staal (behuizing)
Control	aan/uit, DALI-2
Colour	RAL9016, RAL9005, On request
Brand	Atolux
Category	Climate ceiling luminaires, Baffle luminaires

Product photos

Atmosphere and product images



Specification text

Track-K is a rectangular LED luminaire for climate ceilings and baffle ceilings, dimmable via DALI-2.

Information

Note

Specifications depend on the project and configuration. Always consult the current technical documentation.

This datasheet is compiled from structured product information based on XML source data and the current source page. Specifications may vary per project configuration.

Atomis Architectural Lighting · atomislighting.com · The Netherlands

Generated on 29 September 2026