



ATOMIS

Vectura SAPP prismatic

Narrow linear luminaire for integration into Interalu SAPP climate ceilings; DALI-dimmable as standard and available in multiple lengths.

CATEGORY

Climate ceiling luminaires

MOUNTING

Recessed

IP CLASS

IP20 (naar boven)/IP40 (naar beneden)

COLOUR TEMPERATURE

Tunable White, 2700K, 3000K, 3500K, 4000K

CRI

CRI80, CRI90

UGR

UGR <19

Introduction

Narrow linear luminaire for integration into Interalu SAPP climate ceilings; DALI-dimmable as standard and available in multiple lengths.


With the Vectura SAPP prismatic, you choose architectural lighting that unites design and light quality. Designed for hospitality, office, public spaces, the luminaire integrates neatly into the design and delivers comfortable, considered light. Thanks to its thoughtful detailing and high-quality finish, it is a choice that lasts for years — and makes your project look better.

Technical specifications

Mounting	Recessed
Application	Hospitality, Office, Public spaces
Dimensions	1000 mm tot 4500 mm lengte
Material	Acrylic, Aluminium
Optics	Microprismatic lens, Opal diffuser
UGR	UGR <19
IP class	IP20 (naar boven)/IP40 (naar beneden)
CRI	CRI80, CRI90
CCT	Tunable White, 2700K, 3000K, 3500K, 4000K
Luminous flux	800 lm tot 6600 lm, afhankelijk van lengte en configuratie
Control	1-10V dimmable, Casambi dimmable, DALI dimmable, Optional
Emergency lighting	1-hour emergency power, Optional, Optional 1-hour autonomy self-test
Service life	L90B50@60, 000h (Tq 25°C)
Efficiency	>140lm/W
CIE flux code	93 100 100 100 100
Photobiological safety	IEC 62471: RG1 (low risk)
Insulation class	Class I, Class II
Power factor	>0.9
Ambient temperature	-20°C / +40°C
Colour	On request
Options	Eenvoudige integratie zonder aanpassingen aan plafond of onderliggende structuur. Leverbaar van 1000 mm tot 4500 mm en toepasbaar in lineaire of speelse plafondpatronen.
Brand	Atomis
Category	Climate ceiling luminaires

Product photos

Atmosphere and product images



Specification text

Vectura SAPP prismatic is a narrow linear luminaire specially designed for integration into the Interlu SAPP climate ceiling. Thanks to its thoughtful design, the luminaire can be easily integrated without modifications to the ceiling or the underlying structure. Its long, slim design emphasises the straight lines of the SAPP ceiling concept and contributes to a calm, architectural ceiling appearance. At the same time, the luminaire offers design freedom, as it can also be applied in playful patterns within the ceiling structure. Vectura SAPP prismatic is DALI-dimmable as standard, making it easy to integrate into lighting control systems. Thanks to the range of lengths, the luminaire is suitable for both functional and aesthetic applications in a wide variety of projects.

Information

Note

Specifications depend on the project and configuration. Always consult the current technical documentation.

This datasheet is compiled from structured product information based on XML source data and the current source page. Specifications may vary per project configuration.

Atomis Architectural Lighting · atomislighting.com · The Netherlands

Generated on 9 July 2026