



**ATOMIS**

# Zender

Zender is a wall-mounted LED luminaire intended for indoor architectural lighting of vertical surfaces such as walls, corridors and stairs. Light emitted by an...

**CATEGORY**

**Surface-mounted luminaires**

**MOUNTING**

**Wall-mounted**

**IP CLASS**

**IP20 (naar boven)/IP40 (naar beneden)**

**COLOUR TEMPERATURE**

**2700K, 3000K, 3500K, 4000K, Tunable White**

**CRI**

**CR180, CR190**

**UGR**

**n-v-t-**

## Introduction

Zender is a wall-mounted LED luminaire intended for indoor architectural lighting of vertical surfaces such as walls, corridors and stairs. Light emitted by an...

With the Zender, you choose architectural lighting that unites design and light quality. Designed for exhibition spaces, hospitality, office, education, public spaces, retail, the luminaire integrates neatly into the design and delivers comfortable, considered light. Thanks to its thoughtful detailing and high-quality finish, it is a choice that lasts for years — and makes your project look better.

---

## Features

Robust design luminaire for wall mounting, suitable for corridors and large halls in public spaces such as schools, etc.

Available in 300 mm wide and 600 mm wide sizes

Emergency versions available


Can be mounted horizontally and vertically

## Technical specifications

Mounting	<b>Wall-mounted</b>
Application	<b>Exhibition spaces, Hospitality, Office, Education, Public spaces, Retail</b>
Material	<b>Acrylic, Steel</b>
Optics	<b>Opal diffuser</b>
UGR	<b>n-v-t-</b>
IP class	<b>IP20 (naar boven)/IP40 (naar beneden)</b>
CRI	<b>CRI80, CRI90</b>
CCT	<b>2700K, 3000K, 3500K, 4000K, Tunable White</b>
Control	<b>1-10V dimmable, Casambi dimmable, DALI dimmable, Optional</b>
Emergency lighting	<b>1-hour emergency power, Optional, Optional 1-hour autonomy self-test</b>
Efficiency	<b>&gt;100lm/W</b>
Photobiological safety	<b>IEC 62471: RG1 (low risk)</b>
Insulation class	<b>Class I</b>
Power factor	<b>&gt;0.9</b>
Ambient temperature	<b>-20°C / +40°C</b>
Options	<b>220-240V, 50 / 60Hz, 93 100 100 100 100, Integrated, L90B50@60, 000h (Tq 25°C), N/A, Up + down, On request, On the driver, Rectangular, SDCM=3</b>
Brand	<b>Atomis</b>
Category	<b>Surface-mounted luminaires</b>

## Product photos

Atmosphere and product images



## Specification text

Zender is a wall-mounted LED luminaire intended for indoor architectural lighting of vertical surfaces such as walls, corridors and stairs. Light emitted by an internally mounted LED strip toward the wall is first diffused by a double satin diffuser and then reflected upward and downward, creating a softly lit wall. - Robust design luminaire for wall mounting, suitable for corridors and large halls in public spaces such as schools, etc. - Available in 300 mm wide and 600 mm wide sizes - Emergency versions available - Can be mounted horizontally and vertically

## Information

### Note

Specifications depend on the project and configuration. Always consult the current technical documentation.

This datasheet is compiled from structured product information based on XML source data and the current source page. Specifications may vary per project configuration.

---

Atomis Architectural Lighting · atomislighting.com · The Netherlands

Generated on 9 July 2026