



ATOMIS

Zumo 35 Vario

Zumo 35 Vario is a zoomable LED spot for standard 3-phase track. The spot features a powerful LED with a high colour rendering index (CRI > 97). The beam can b...

CATEGORY

Track luminaires

MOUNTING

Track

IP CLASS

IP20 (boven) / IP20 (onder)

COLOUR TEMPERATURE

3000K, 4000K, Tunable white

CRI

CRI90, CRI97

Introduction

Zumo 35 Vario is a zoomable LED spot for standard 3-phase track. The spot features a powerful LED with a high colour rendering index (CRI > 97). The beam can b...




With the Zumo 35 vario Black, you choose architectural lighting that unites design and light quality. Designed for kantoren, musea, public spaces, vrijetijdssector, the luminaire integrates neatly into the design and delivers comfortable, considered light. Thanks to its thoughtful detailing and high-quality finish, it is a choice that lasts for years — and makes your project look better.

Technical specifications

Mounting	Track
Application	Kantoren, Musea, Public spaces, Vrijetijdssector
Dimensions	35x85mm
Material	Aluminium (behuizing)
Optics	Zoom lens
IP class	IP20 (boven) / IP20 (onder)
CRI	CRI90, CRI97
CCT	3000K, 4000K, Tunable white
Control	aan/uit, DALI-2, 1-10v, Casambi, On request
Emergency lighting	N/A
Voltage / freq.	220-240V, 50 / 60Hz
Efficiency	>60/lmW
Photobiological safety	IEC 62471: RG1 (low risk)
Insulation class	Class II
Power factor	>0.9
Ambient temperature	-20°C / +40°C
Colour	RAL9005
Options	220-240V, 50 / 60Hz, 93 100 100 100 100, Phase track, Integrated, L90B50@60, 000h (Tq 25°C), N/A, On request, Adjustable, Round, SDCM=2
Brand	Atomis
Category	Track luminaires

Product photos

Atmosphere and product images



Specification text

Zumo 35 vario black is a track luminaire from the Zumo range by Atomis. The luminaire is track, fully adjustable and fitted with Zoomlens. The range is intended for offices, museums, public spaces and leisure venues.

Information

Note

Specifications depend on the project and configuration. Always consult the current technical documentation.

This datasheet is compiled from structured product information held in the Atomis luminaire database. Specifications may vary per project configuration.

Atomis Architectural Lighting · atomislighting.com · The Netherlands

Generated on 1 September 2026