

ATOMIS

# Zumo 60 contour Black

Zumo 60 contour black is a track luminaire from the Zumo range by Atomis. The luminaire is track, fully adjustable and fitted with a shapeable optic. The range is intended for museums and leisure venues.

CATEGORY
**Track luminaires**

MOUNTING
**Track**

IP CLASS
**IP20 (boven) / IP20 (onder)**

COLOUR TEMPERATURE
**3000K, 4000K**

CRI
**CRI90, CRI97**

## Introduction

Zumo 60 contour black is a track luminaire from the Zumo range by Atomis. The luminaire is track, fully adjustable and fitted with a shapeable optic. The range is intended for museums and leisure venues.

With the Zumo 60 contour Black, you choose architectural lighting that unites design and light quality. Designed for musea, vrijetijdssector, the luminaire integrates neatly into the design and delivers comfortable, considered light. Thanks to its thoughtful detailing and high-quality finish, it is a choice that lasts for years — and makes your project look better.

# Technical specifications

| | |
|---|---|
| Mounting | **Track** |
| Application | **Musea, Vrijetijdssector** |
| Dimensions | **55x170mm** |
| Material | **Aluminium (behuizing)** |
| Optics | **Vormbaar optiek** |
| IP class | **IP20 (boven) / IP20 (onder)** |
| CRI | **CRI90, CRI97** |
| CCT | **3000K, 4000K** |
| Control | **aan/uit, DALI-2, 1-10v, Casambi, On request** |
| Service life | **L90@100.000 uur** |
| Voltage / freq. | **220-240V, 50 / 60Hz** |
| Photobiological safety | **IEC 62471: RG1 (low risk)** |
| Insulation class | **Class II** |
| Power factor | **>0.9** |
| Ambient temperature | **-20°C / +40°C** |
| Colour | **RAL9005** |
| Brand | **Atomis** |
| Category | **Track luminaires** |

# Product photos

Atmosphere and product images



## Specification text

Zumo 60 contour black is a track luminaire from the Zumo range by Atomis. The luminaire is track, fully adjustable and fitted with a shapeable optic. The range is intended for museums and leisure venues.

# Information

Note

Specifications depend on the project and configuration. Always consult the current technical documentation.

This datasheet is compiled from structured product information held in the Atomis luminaire database. Specifications may vary per project configuration.

---

Atomis Architectural Lighting · atomislighting.com · The Netherlands

Generated on 30 October 2026