



MESON ROUND 190 REFIT

Meson Round 190 Refit is a series of powerful LED recessed spotlights with power LEDs covered by a prismatic lens or a double frosted diffuser. Meson Round 190 Refit is identical to Meson Round 190, but with a wider cover. The shielding is countersunk behind a matte or high-gloss reflector.

- Easy installation with spring clips
- Suitable for existing cutouts from Ø185 to Ø230mm
- Cover in white, black or silver
- Reflector ring available in matte anodized, glossy anodized, matte black, or matte white
- Opal diffuser or prismatic lens

Downloads

[Photometrics Meson Round 190](#)

Categories: [Klimaatplafond armaturen](#)



Meson Round 190 Refit is a series of powerful LED recessed spotlights with power LEDs covered by a prismatic lens or a double frosted diffuser. Meson Round 190 Refit is identical to Meson Round 190, but with a wider cover. The shielding is countersunk behind a matte or high-gloss reflector.

- Easy installation with spring clips
- Suitable for existing cutouts from Ø185 to Ø230mm
- Cover in white, black or silver
- Reflector ring available in matte anodized, glossy anodized, matte black, or matte white
- Opal diffuser or prismatic lens

Downloads

[Photometrics Meson Round 190](#)

NOTES

ADDITIONAL INFORMATION

Kleurtemperatuur	Tunable White, 2700K, 3000K, 3500K, 4000K
Omgevingstemperatuur	-20°C / +40°C
Materiaal	acrylaat, Aluminum, Staal
Productkleur	Mat wit, Mat zwart, Op aanvraag
Lichtregeling	1-10V gedimd, Casambi gedimd, DALI gedimd, Optioneel
Noodverlichting	1 uur noodstroom, Optioneel, Optioneel 1 uur autonomie autotest
Primaire aansluitingen	GST18i3, GST18i5 pastelblauw, Kabel, Op de driver
Producttoepassing	Expositieruimtes, Gemeentehuizen, Horeca, Kantoor, Onderwijs, Retail
Driver positie	Losliggende driver
Isolatieklasse	Klasse-II
Kleurconsistentie (SDCM)	SDCM=2
Kleurweergaveindex (CRI)	CRI80, CRI90
Energielabel	A+
Verwachte levensduur	L90B50@60.000h (Tq 25°C)
Powerfactor	>0.9
Bevestiging	Inbouw
Vorm	Rond
Oriëntatie	Omlaag
Optiek	Microprismatische lens, Opalen diffusor

