



## **MESON ROUND 190 WALLWASHER**

Meson round 190 wallwasher is a high-quality LED recessed downlight with asymmetric light distribution. To ensure uniform lighting across the entire surface, the distance to the wall for wallwashers must not exceed 50-60 cm. The central unit can be rotated within the trim ring to adjust the beam direction.

- Provides uniform wall lighting
- The central unit can be rotated within the trim ring to adjust the spot direction
- Particularly suitable for retail lighting
- Low-glare lighting





### **Downloads**

[Photometrics Meson round wallwasher](#)

**Categories:** [Downlights and recessed spotlights](#)



## PRODUCT IMAGES



Meson round 190 wallwasher is a high-quality LED recessed downlight with asymmetric light distribution. To ensure uniform lighting across the entire surface, the distance to the wall for wallwashers must not exceed 50-60 cm. The central unit can be rotated within the trim ring to adjust the beam direction.

- Provides uniform wall lighting
- The central unit can be rotated within the trim ring to adjust the spot direction
- Particularly suitable for retail lighting
- Low-glare lighting

**Downloads**

[Photometrics Meson round wallwasher](#)

## **NOTES**

---

---

---

---

---

---

## ADDITIONAL INFORMATION

<b>Insulation Class</b>	Class II
<b>Driver position</b>	Loose driver
<b>Lighting control</b>	1-10V dimming, Casambi dimming, DALI dimming, Optional
<b>Application</b>	Education, Hospitality, Office, Public spaces
<b>Oriëntatie</b>	Down
<b>Photobiological safety</b>	IEC 62471: RG1 (low risc)
<b>Color temperature</b>	2700K
<b>Ambient temperature</b>	-20°C / +40°C
<b>Primary connections</b>	GST18i3, GST18i5 pastelblauw, Kabel, On the driver
<b>Shape</b>	Round
<b>Material</b>	Acrylic, Aluminum, Polycarbonate
<b>Product Color</b>	Matte black, Matte white, On request
<b>Color Rendering Index (CRI)</b>	CRI80, CRI90
<b>Emergency lighting</b>	1 hour emergency power, Optional, Optional 1 hour autonomy self-test
<b>Product family</b>	Meson
<b>Kleurconsistentie (SDCM)</b>	SDCM=2
<b>Energy Rating</b>	
<b>Expected lifespan</b>	L90B50@70,000h (Tq 25°C)
<b>Power factor</b>	>0.9
<b>Product Confirmation</b>	Recessed

