



MESON ROUND 190 WALLWASHER

Meson round 190 wallwasher is a high-quality LED recessed downlight with asymmetric light distribution. To ensure uniform lighting across the entire surface, the distance to the wall for wallwashers must not exceed 50-60 cm. The central unit can be rotated within the trim ring to adjust the beam direction.

- Provides uniform wall lighting
- The central unit can be rotated within the trim ring to adjust the spot direction
- Particularly suitable for retail lighting
- Low-glare lighting





Downloads

[Photometrics Meson round wallwasher](#)

Categories: [Downlights and recessed spotlights](#)



PRODUCT IMAGES



Meson round 190 wallwasher is a high-quality LED recessed downlight with asymmetric light distribution. To ensure uniform lighting across the entire surface, the distance to the wall for wallwashers must not exceed 50-60 cm. The central unit can be rotated within the trim ring to adjust the beam direction.

- Provides uniform wall lighting
- The central unit can be rotated within the trim ring to adjust the spot direction
- Particularly suitable for retail lighting
- Low-glare lighting

Downloads

[Photometrics Meson round wallwasher](#)

NOTES

ADDITIONAL INFORMATION

| | |
|-------------------------------|---|
| Isolatieklasse | Class II |
| Driver positie | Loose driver |
| Light control | 1-10V dimming, Casambi dimming, DALI dimming |
| Producttoepassing | Education, Hospitality, Office, Public spaces |
| Oriëntatie | Down |
| Photobiological safety | IEC 62471: RG1 (low risc) |
| Kleurtemperatuur | Tunable White, 2700K, 3000K, 3500K, 4000K |
| Ambient temperature | -20°C / +40°C |
| Primaire aansluitingen | BST 14i2, Europlug, On request, GST18i3, GST18i5 pastelblauw, On the driver |
| Shape | Round |
| Material | Acrylic, Steel |
| Productkleur | On request |
| Emergency lighting | 1 hour emergency power, Optional, Optional 1 hour autonomy self-test |
| Family | Meson |
| Bevestiging | Recessed |

