

STRATOS-Y 70

Stratos-Y 70 is a linear fixture for use in panel and climate ceilings, with a prismatic lens or opal diffuser.

- Lightweight construction
- Simple installation in a pre-fabricated ceiling opening
- Available in various lengths
- With microprismatic lens (UGR ≤ 19 for office applications) or opal diffuser

Downloads


[Photometrics Stratos-70](#)

Create your own product, download the PDF specification sheet or add to the quotation:

Categories: [Climate ceiling fixtures](#)



PRODUCT IMAGES



Stratos-Y 70 is a linear fixture for use in panel and climate ceilings, with a prismatic lens or opal diffuser.

- Lightweight construction
- Simple installation in a pre-fabricated ceiling opening
- Available in various lengths
- With microprismatic lens (UGR ≤ 19 for office applications) or opal diffuser

Downloads

[Photometrics Stratos-70](#)

Create your own product, download the PDF specification sheet or add to the quotation:

NOTES

ADDITIONAL INFORMATION

Air extraction	Optional
Armaturefficiëntie	>140lm/W
Bevestiging	Recessed
Breedte	70mm
C-Haak hoogte	N/A
C-haakhoogte	n.v.t.
CIE Flux code	93 100 100 100 100
Driver positie	Attached to the fixture, Loose driver
Energielabel	A++
Family	Stratos
Photobiological safety	IEC 62471: RG1 (low risc)
Glare (UGR)	<19
IP-class	IP20 (upwards)/IP40 (downwards)
Isolatieklasse	Class II
Kleurconsistentie (SDCM)	SDCM=3
Kleurtemperatuur	Tunable White, 2700K, 3000K, 3500K, 4000K
Color Rendering Index (CRI)	CRI90, CRI80
Light control	1-10V dimming, Casambi dimming, DALI dimming, Optional
Luchtafzuiging	Optioneel
Material	Acrylic, Aluminium
Emergency lighting	1 hour emergency power, Optional, Optional 1 hour autonomy self-test
Ambient temperature	-20°C / +40°C
Optics	Microprismatic lens, Opalen diffusor
Oriëntatie	Down
Packaging dimensions	Bulk packaging
Powerfactor	>9
Primaire aansluitingen	BST 14i2, Europlug, On request, GST18i3, GST18i5 pastelblauw, On the driver
Productkleur	On request
Producttoepassing	Education, Hospitality, Office, Public spaces

Self-adhesive dust cover	Optional
Verpakkingsafmetingen	Bulkverpakking
Verwachte levensduur	L90B50@60,000h (Tq 25°C)
Voltage / frequentie	220-240V, 50 / 60Hz
Shape	Rectangular
Zelfklevende stofkap	Optioneel

PHOTOMETRIC DATA

19.830 Stratos-70 2S 5W 800lm 3000K CRI80 G8
19.830 Stratos-70 2S 6W 900lm 3000K CRI80 G8
19.830 Stratos-70 2S 7W 900lm 3000K CRI80 G8
19.830 Stratos-70 2S 8W 1,200lm 3000K CRI80 G8
19.830 Stratos-70 2S 10W 1,400lm 3000K CRI80 G8
19.830 Stratos-70 2S 12W 1,700lm 3000K CRI80 G8
19.830 Stratos-70 2S 15W 2,000lm 3000K CRI80 G8
19.830 Stratos-70 2S 17W 2,200lm 3000K CRI80 G8
19.830 Stratos-70 3S 8W 1,100lm 3000K CRI80 G8
19.930 Stratos-70 BN 2S 5W 700lm 3000K CRI90 G8
19.930 Stratos-70 BN 2S 6W 700lm 3000K CRI90 G8
19.930 Stratos-70 BN 2S 7W 800lm 3000K CRI90 G8
19.930 Stratos-70 BN 2S 8W 1,000lm 3000K CRI90 G8
19.930 Stratos-70 BN 2S 10W 1,200lm 3000K CRI90 G8
19.930 Stratos-70 BN 2S 12W 1,500lm 3000K CRI90 G8
19.930 Stratos-70 BN 2S 15W 1,700lm 3000K CRI90 G8
19.930 Stratos-70 BN 2S 17W 2,000lm 3000K CRI90 G8
19.930 Stratos-70 BN 3S 8W 900lm 3000K CRI90 G8
19.930 Stratos-70 BN 3S 9W 1,100lm 3000K CRI90 G8
19.930 Stratos-70 BN 3S 10W 1,200lm 3000K CRI90 G8
19.930 Stratos-70 BN 3S 12W 1,500lm 3000K CRI90 G8
19.930 Stratos-70 BN 3S 15W 1,800lm 3000K CRI90 G8
19.930 Stratos-70 BN 3S 18W 2,200lm 3000K CRI90 G8
19.930 Stratos-70 BN 3S 22W 2,600lm 3000K CRI90 G8
19.930 Stratos-70 BN 3S 25W 2,900lm 3000K CRI90 G8
19.930 Stratos-70 BN 4S 32W 3,900lm 3000K CRI90 G8
19.930 Stratos-70 BN 5S 13W 1,900lm 3000K CRI90 G8
19.930 Stratos-70 BN 5S 15W 2,100lm 3000K CRI90 G8
19.930 Stratos-70 BN 5S 16W 2,300lm 3000K CRI90 G8
19.930 Stratos-70 BN 5S 19W 2,700lm 3000K CRI90 G8
19.930 Stratos-70 BN 5S 22W 3,100lm 3000K CRI90 G8
19.930 Stratos-70 BN 5S 29W 4,000lm 3000K CRI90 G8
19.930 Stratos-70 BN 5S 33W 4,600lm 3000K CRI90 G8
19.930 Stratos-70 BN 5S 39W 5,300lm 3000K CRI90 G8
19.930 Stratos-70 BN 6S 13W 1,600lm 3000K CRI90 G8
19.930 Stratos-70 BN 6S 16W 2,000lm 3000K CRI90 G8
19.930 Stratos-70 BN 6S 19W 2,300lm 3000K CRI90 G8
19.930 Stratos-70 BN 6S 21W 2,600lm 3000K CRI90 G8
19.930 Stratos-70 BN 6S 25W 3,000lm 3000K CRI90 G8
19.930 Stratos-70 BN 6S 29W 3,400lm 3000K CRI90 G8

19.930 Stratos-70 BN 6S 33W 3,900lm 3000K CRI90 G8
19.930 Stratos-70 BN 6S 38W 4,500lm 3000K CRI90 G8
19.930 Stratos-70 BN 8S 21W 2,600lm 3000K CRI90 G8
19.930 Stratos-70 BN 8S 22W 2,800lm 3000K CRI90 G8
19.930 Stratos-70 BN 8S 24W 3,000lm 3000K CRI90 G8
19.930 Stratos-70 BN 8S 26W 3,200lm 3000K CRI90 G8
19.930 Stratos-70 BN 8S 28W 3,500lm 3000K CRI90 G8
19.930 Stratos-70 BN 8S 30W 3,700lm 3000K CRI90 G8
19.930 Stratos-70 BN 9S 21W 2,600lm 3000K CRI90 G8
19.930 Stratos-70 BN 9S 22W 2,800lm 3000K CRI90 G8
19.930 Stratos-70 BN 9S 24W 3,000lm 3000K CRI90 G8
19.930 Stratos-70 BN 9S 26W 3,200lm 3000K CRI90 G8
19.930 Stratos-70 BN 9S 28W 3,500lm 3000K CRI90 G8
19.930 Stratos-70 BN 9S 30W 3,700lm 3000K CRI90 G8
19.930 Stratos-70 BN 10S 27W 3,300lm 3000K CRI90 G8
19.930 Stratos-70 BN 10S 28W 3,500lm 3000K CRI90 G8
19.930 Stratos-70 BN 10S 30W 3,700lm 3000K CRI90 G8
19.930 Stratos-70 BN 10S 32W 4,000lm 3000K CRI90 G8
19.930 Stratos-70 BN 10S 35W 4,400lm 3000K CRI90 G8
19.930 Stratos-70 BN 10S 38W 4,600lm 3000K CRI90 G8

30.830.Y.70×565.2S Stratos-Y 70 6W 900lm 3000K CRI80 G8
30.830.Y.70×565.2S Stratos-Y 70 7W 1,000lm 3000K CRI80 G8
30.830.Y.70×565.2S Stratos-Y 70 8W 1,100lm 3000K CRI80 G8
30.830.Y.70×565.2S Stratos-Y 70 9W 1,200lm 3000K CRI80 G8
30.830.Y.70×565.2S Stratos-Y 70 10W 1,400lm 3000K CRI80 G8
30.830.Y.70×565.2S Stratos-Y 70 14W 1,800lm 3000K CRI80 G8
30.830.Y.70×565.2S Stratos-Y 70 16W 2,100lm 3000K CRI80 G8
30.830.Y.70×565.2S Stratos-Y 70 19W 2,400lm 3000K CRI80 G8
30.830.Y.70×845.3S Stratos-Y 70 9W 1,200lm 3000K CRI80 G8
30.830.Y.70×845.3S Stratos-Y 70 10W 1,400lm 3000K CRI80 G8
30.830.Y.70×845.3S Stratos-Y 70 11W 1,600lm 3000K CRI80 G8
30.830.Y.70×845.3S Stratos-Y 70 13W 1,800lm 3000K CRI80 G8
30.830.Y.70×845.3S Stratos-Y 70 15W 2,100lm 3000K CRI80 G8
30.830.Y.70×845.3S Stratos-Y 70 21W 2,800lm 3000K CRI80 G8
30.830.Y.70×845.3S Stratos-Y 70 24W 3,100lm 3000K CRI80 G8
30.830.Y.70×845.3S Stratos-Y 70 28W 3,600lm 3000K CRI80 G8
30.830.Y.70×1125.4S Stratos-Y 70 13W 1,800lm 3000K CRI80 G8
30.830.Y.70×1125.4S Stratos-Y 70 14W 1,900lm 3000K CRI80 G8
30.830.Y.70×1125.4S Stratos-Y 70 15W 2,100lm 3000K CRI80 G8
30.830.Y.70×1125.4S Stratos-Y 70 18W 2,400lm 3000K CRI80 G8
30.830.Y.70×1125.4S Stratos-Y 70 21W 2,800lm 3000K CRI80 G8
30.830.Y.70×1125.4S Stratos-Y 70 28W 3,600lm 3000K CRI80 G8
30.830.Y.70×1125.4S Stratos-Y 70 32W 4,100lm 3000K CRI80 G8

30.830.Y.70×1125.4S Stratos-Y 70 38W 4,700lm 3000K CRI80 G8
 30.830.Y.70×1405.5S Stratos-Y 70 16W 2,200lm 3000K CRI80 G8
 30.830.Y.70×1405.5S Stratos-Y 70 17W 2,400lm 3000K CRI80 G8
 30.830.Y.70×1405.5S Stratos-Y 70 19W 2,600lm 3000K CRI80 G8
 30.830.Y.70×1405.5S Stratos-Y 70 22W 3,100lm 3000K CRI80 G8
 30.830.Y.70×1405.5S Stratos-Y 70 26W 3,500lm 3000K CRI80 G8
 30.830.Y.70×1405.5S Stratos-Y 70 27W 3,600lm 3000K CRI80 G8
 30.830.Y.70×1405.5S Stratos-Y 70 31W 4,100lm 3000K CRI80 G8
 30.830.Y.70×1405.5S Stratos-Y 70 37W 4,800lm 3000K CRI80 G8
 30.830.Y.70×1700.6S Stratos-Y 70 18W 2,500lm 3000K CRI80 G8
 30.830.Y.70×1700.6S Stratos-Y 70 19W 2,600lm 3000K CRI80 G8
 30.830.Y.70×1700.6S Stratos-Y 70 20W 2,800lm 3000K CRI80 G8
 30.830.Y.70×1700.6S Stratos-Y 70 23W 3,200lm 3000K CRI80 G8
 30.830.Y.70×1700.6S Stratos-Y 70 26W 3,500lm 3000K CRI80 G8
 30.830.Y.70×1700.6S Stratos-Y 70 27W 3,700lm 3000K CRI80 G8
 30.830.Y.70×1700.6S Stratos-Y 70 31W 4,200lm 3000K CRI80 G8
 30.830.Y.70×1700.6S Stratos-Y 70 36W 4,800lm 3000K CRI80 G8
 30.830.Y.70×2245.8S Stratos-Y 70 18W 2,600lm 3000K CRI80 G8
 30.830.Y.70×2245.8S Stratos-Y 70 20W 2,800lm 3000K CRI80 G8
 30.830.Y.70×2245.8S Stratos-Y 70 23W 3,200lm 3000K CRI80 G8
 30.830.Y.70×2245.8S Stratos-Y 70 25W 3,500lm 3000K CRI80 G8
 30.830.Y.70×2245.8S Stratos-Y 70 26W 3,700lm 3000K CRI80 G8
 30.830.Y.70×2245.8S Stratos-Y 70 28W 3,900lm 3000K CRI80 G8
 30.830.Y.70×2245.8S Stratos-Y 70 30W 4,200lm 3000K CRI80 G8
 30.830.Y.70×2245.8S Stratos-Y 70 36W 4,900lm 3000K CRI80 G8
 30.930.Y.70×565.2S Stratos-Y 70 6W 700lm 3000K CRI90 G8
 30.930.Y.70×565.2S Stratos-Y 70 7W 800lm 3000K CRI90 G8
 30.930.Y.70×565.2S Stratos-Y 70 8W 900lm 3000K CRI90 G8
 30.930.Y.70×565.2S Stratos-Y 70 9W 1,000lm 3000K CRI90 G8
 30.930.Y.70×565.2S Stratos-Y 70 10W 1,100lm 3000K CRI90 G8
 30.930.Y.70×565.2S Stratos-Y 70 14W 1,500lm 3000K CRI90 G8
 30.930.Y.70×565.2S Stratos-Y 70 16W 1,700lm 3000K CRI90 G8
 30.930.Y.70×565.2S Stratos-Y 70 19W 1,900lm 3000K CRI90 G8
 30.930.Y.70×845.3S Stratos-Y 70 9W 1,000lm 3000K CRI90 G8
 30.930.Y.70×845.3S Stratos-Y 70 10W 1,100lm 3000K CRI90 G8
 30.930.Y.70×845.3S Stratos-Y 70 11W 1,300lm 3000K CRI90 G8
 30.930.Y.70×845.3S Stratos-Y 70 13W 1,500lm 3000K CRI90 G8
 30.930.Y.70×845.3S Stratos-Y 70 15W 1,700lm 3000K CRI90 G8
 30.930.Y.70×845.3S Stratos-Y 70 21W 2,200lm 3000K CRI90 G8
 30.930.Y.70×845.3S Stratos-Y 70 24W 2,500lm 3000K CRI90 G8
 30.930.Y.70×845.3S Stratos-Y 70 28W 2,900lm 3000K CRI90 G8
 30.930.Y.70×1125.4S Stratos-Y 70 13W 1,400lm 3000K CRI90 G8
 30.930.Y.70×1125.4S Stratos-Y 70 14W 1,600lm 3000K CRI90 G8

30.930.Y.70×1125.4S Stratos-Y 70 15W 1,700lm 3000K CRI90 G8
30.930.Y.70×1125.4S Stratos-Y 70 18W 2,000lm 3000K CRI90 G8
30.930.Y.70×1125.4S Stratos-Y 70 21W 2,300lm 3000K CRI90 G8
30.930.Y.70×1125.4S Stratos-Y 70 28W 2,900lm 3000K CRI90 G8
30.930.Y.70×1125.4S Stratos-Y 70 32W 3,300lm 3000K CRI90 G8
30.930.Y.70×1125.4S Stratos-Y 70 38W 3,900lm 3000K CRI90 G8
30.930.Y.70×1405.5S Stratos-Y 70 13W 1,400lm 3000K CRI90 G8
30.930.Y.70×1405.5S Stratos-Y 70 14W 1,600lm 3000K CRI90 G8
30.930.Y.70×1405.5S Stratos-Y 70 15W 1,700lm 3000K CRI90 G8
30.930.Y.70×1405.5S Stratos-Y 70 18W 2,000lm 3000K CRI90 G8
30.930.Y.70×1405.5S Stratos-Y 70 20W 2,300lm 3000K CRI90 G8
30.930.Y.70×1405.5S Stratos-Y 70 27W 3,000lm 3000K CRI90 G8
30.930.Y.70×1405.5S Stratos-Y 70 31W 3,400lm 3000K CRI90 G8
30.930.Y.70×1405.5S Stratos-Y 70 37W 3,900lm 3000K CRI90 G8
30.930.Y.70×1685.6S Stratos-Y 70 15W 1,700lm 3000K CRI90 G8
30.930.Y.70×1685.6S Stratos-Y 70 17W 1,900lm 3000K CRI90 G8
30.930.Y.70×1685.6S Stratos-Y 70 18W 2,000lm 3000K CRI90 G8
30.930.Y.70×1685.6S Stratos-Y 70 21W 2,400lm 3000K CRI90 G8
30.930.Y.70×1685.6S Stratos-Y 70 24W 2,700lm 3000K CRI90 G8
30.930.Y.70×1685.6S Stratos-Y 70 27W 3,000lm 3000K CRI90 G8
30.930.Y.70×1685.6S Stratos-Y 70 31W 3,400lm 3000K CRI90 G8
30.930.Y.70×1685.6S Stratos-Y 70 36W 3,900lm 3000K CRI90 G8
30.930.Y.70×2245.8S Stratos-Y 70 18W 2,100lm 3000K CRI90 G8
30.930.Y.70×2245.8S Stratos-Y 70 20W 2,300lm 3000K CRI90 G8
30.930.Y.70×2245.8S Stratos-Y 70 23W 2,600lm 3000K CRI90 G8
30.930.Y.70×2245.8S Stratos-Y 70 25W 2,900lm 3000K CRI90 G8
30.930.Y.70×2245.8S Stratos-Y 70 26W 3,000lm 3000K CRI90 G8
30.930.Y.70×2245.8S Stratos-Y 70 28W 3,200lm 3000K CRI90 G8
30.930.Y.70×2245.8S Stratos-Y 70 30W 3,400lm 3000K CRI90 G8
30.930.Y.70×2245.8S Stratos-Y 70 36W 4,000lm 3000K CRI90 G8

19.840 Stratos-Y 70 4S 25W 3,550lm 4000K CRI80 G8

30.840.Y.70×565.2S Stratos-Y 70 6W 900lm 4000K CRI80 G8
30.840.Y.70×565.2S Stratos-Y 70 7W 1,000lm 4000K CRI80 G8
30.840.Y.70×565.2S Stratos-Y 70 7W 1,100lm 4000K CRI80 G8
30.840.Y.70×565.2S Stratos-Y 70 9W 1,200lm 4000K CRI80 G8
30.840.Y.70×565.2S Stratos-Y 70 10W 1,400lm 4000K CRI80 G8
30.840.Y.70×565.2S Stratos-Y 70 14W 1,800lm 4000K CRI80 G8
30.840.Y.70×565.2S Stratos-Y 70 16W 2,100lm 4000K CRI80 G8
30.840.Y.70×565.2S Stratos-Y 70 19W 2,400lm 4000K CRI80 G8

30.940.Y.70×565.2S Stratos-Y 70 6W 800lm 4000K CRI90 G8
30.940.Y.70×565.2S Stratos-Y 70 7W 900lm 4000K CRI90 G8
30.940.Y.70×565.2S Stratos-Y 70 8W 1,000lm 4000K CRI90 G8

30.940.Y.70x565.2S Stratos-Y 70 9W 1,100lm 4000K CRI90 G8
30.940.Y.70x565.2S Stratos-Y 70 10W 1,300lm 4000K CRI90 G8
30.940.Y.70x565.2S Stratos-Y 70 14W 1,700lm 4000K CRI90 G8
30.940.Y.70x565.2S Stratos-Y 70 16W 1,900lm 4000K CRI90 G8
30.940.Y.70x565.2S Stratos-Y 70 19W 2,200lm 4000K CRI90 G8
30.940.Y.70x845.3S Stratos-Y 70 9W 1,100lm 4000K CRI90 G8
30.940.Y.70x845.3S Stratos-Y 70 10W 1,300lm 4000K CRI90 G8
30.940.Y.70x845.3S Stratos-Y 70 11W 1,500lm 4000K CRI90 G8
30.940.Y.70x845.3S Stratos-Y 70 13W 1,700lm 4000K CRI90 G8
30.940.Y.70x845.3S Stratos-Y 70 15W 1,900lm 4000K CRI90 G8
30.940.Y.70x845.3S Stratos-Y 70 21W 2,500lm 4000K CRI90 G8
30.940.Y.70x845.3S Stratos-Y 70 24W 2,800lm 4000K CRI90 G8
30.940.Y.70x845.3S Stratos-Y 70 28W 3,300lm 4000K CRI90 G8
30.940.Y.70x1125.4S Stratos-Y 70 13W 1,600lm 4000K CRI90 G8
30.940.Y.70x1125.4S Stratos-Y 70 14W 1,800lm 4000K CRI90 G8
30.940.Y.70x1125.4S Stratos-Y 70 15W 1,900lm 4000K CRI90 G8
30.940.Y.70x1125.4S Stratos-Y 70 18W 2,200lm 4000K CRI90 G8
30.940.Y.70x1125.4S Stratos-Y 70 21W 2,600lm 4000K CRI90 G8
30.940.Y.70x1125.4S Stratos-Y 70 28W 3,300lm 4000K CRI90 G8
30.940.Y.70x1125.4S Stratos-Y 70 32W 3,800lm 4000K CRI90 G8
30.940.Y.70x1125.4S Stratos-Y 70 38W 4,400lm 4000K CRI90 G8
30.940.Y.70x1405.5S Stratos-Y 70 13W 1,600lm 4000K CRI90 G8
30.940.Y.70x1405.5S Stratos-Y 70 14W 1,800lm 4000K CRI90 G8
30.940.Y.70x1405.5S Stratos-Y 70 15W 1,900lm 4000K CRI90 G8
30.940.Y.70x1405.5S Stratos-Y 70 18W 2,300lm 4000K CRI90 G8
30.940.Y.70x1405.5S Stratos-Y 70 20W 2,600lm 4000K CRI90 G8
30.940.Y.70x1405.5S Stratos-Y 70 27W 3,400lm 4000K CRI90 G8
30.940.Y.70x1405.5S Stratos-Y 70 31W 3,800lm 4000K CRI90 G8
30.940.Y.70x1405.5S Stratos-Y 70 37W 4,400lm 4000K CRI90 G8
30.940.Y.70x1685.6S Stratos-Y 70 15W 2,000lm 4000K CRI90 G8
30.940.Y.70x1685.6S Stratos-Y 70 17W 2,100lm 4000K CRI90 G8
30.940.Y.70x1685.6S Stratos-Y 70 18W 2,300lm 4000K CRI90 G8
30.940.Y.70x1685.6S Stratos-Y 70 21W 2,700lm 4000K CRI90 G8
30.940.Y.70x1685.6S Stratos-Y 70 24W 3,000lm 4000K CRI90 G8
30.940.Y.70x1685.6S Stratos-Y 70 27W 3,400lm 4000K CRI90 G8
30.940.Y.70x1685.6S Stratos-Y 70 31W 3,800lm 4000K CRI90 G8
30.940.Y.70x1685.6S Stratos-Y 70 36W 4,400lm 4000K CRI90 G8
30.940.Y.70x1965.7S Stratos-Y 70 18W 2,300lm 4000K CRI90 G8
30.940.Y.70x1965.7S Stratos-Y 70 18W 2,700lm 4000K CRI90 G8
30.940.Y.70x1965.7S Stratos-Y 70 19W 2,500lm 4000K CRI90 G8
30.940.Y.70x1965.7S Stratos-Y 70 21W 3,100lm 4000K CRI90 G8
30.940.Y.70x1965.7S Stratos-Y 70 27W 3,500lm 4000K CRI90 G8
30.940.Y.70x1965.7S Stratos-Y 70 28W 3,900lm 4000K CRI90 G8
30.940.Y.70x1965.7S Stratos-Y 70 36W 4,500lm 4000K CRI90 G8

30.940.Y.70×1965.7S Stratos-Y 70 42W 5,200lm 4000K CRI90 G8