

VECTURA SAPP PRISMATIC


Vectura SAPP prismatic is a luminaire for integration into the [Interalu SAPP® climate ceiling](#). The design of this luminaire makes it easy to integrate without modifications to the ceiling or its structure.

- Profile size corresponds to the SAPP® ceiling structure
- Full integration with an architectural appearance
- Length 1000 mm, 1500 mm, 2000 mm, 2500 mm, 3000 mm, 3500 mm, 4000 mm and 4500 mm standard
- Microprismatic glare protection (UGR< 19) versions available

Categories: [Climate ceiling fixtures](#), [Baffle luminaires](#)



PRODUCT IMAGES



Vectura SAPP prismatic is a luminaire for integration into the [Interlu SAPP® climate ceiling](#). The design of this luminaire makes it easy to integrate without modifications to the ceiling or its structure.

- Profile size corresponds to the SAPP® ceiling structure
- Full integration with an architectural appearance
- Length 1000 mm, 1500 mm, 2000 mm, 2500 mm, 3000 mm, 3500 mm, 4000 mm and 4500 mm standard
- Microprismatic glare protection (UGR < 19) versions available

NOTES

ADDITIONAL INFORMATION

Armaturefficiëntie	>140lm/W
Bevestiging	Recessed
CIE Flux code	93 100 100 100 100
Driver positie	Attached to the fixture, Loose driver
Energielabel	A++
Family	Vectura
Photobiological safety	IEC 62471: RG1 (low risc)
Glare (UGR)	<19
IP-class	IP20 (upwards)/IP40 (downwards)
Isolatieklasse	Class II, Class-I
Kleurconsistentie (SDCM)	SDCM=3
Kleurtemperatuur	Tunable White, 2700K, 3000K, 3500K, 4000K
Color Rendering Index (CRI)	CRI90, CRI80
Light control	1-10V dimming, Casambi dimming, DALI dimming, Optional
Luchtafzuiging	n.v.t.
Material	Acrylic, Aluminium
Emergency lighting	1 hour emergency power, Optional, Optional 1 hour autonomy self-test
Ambient temperature	-20°C / +40°C
Optics	Microprismatic lens, Opalen diffusor
Oriëntatie	Down
Packaging dimensions	Bulk packaging
Powerfactor	>9
Primaire aansluitingen	BST 14i2, Europlug, On request, GST18i3, GST18i5 pastelblauw, On the driver
Productkleur	On request
Producttoepassing	Hospitality, Office, Public spaces
Self-adhesive dust cover	Optional
Verpakkingsafmetingen	Bulkverpakking
Verwachte levensduur	L90B50@60,000h (Tq 25°C)
Shape	Rectangular

Zelfklevende stofkap

Optioneel

PHOTOMETRIC DATA

16.830.P.30×1010 Vectura-SAPP 6W 800lm 3000K CRI80 G8
 16.830.P.30×1010 Vectura-SAPP 7W 900lm 3000K CRI80 G8
 16.830.P.30×1010 Vectura-SAPP 8W 1000lm 3000K CRI80 G8
 16.830.P.30×1010 Vectura-SAPP 9W 1100lm 3000K CRI80 G8
 16.830.P.30×1010 Vectura-SAPP 9W 1300lm 3000K CRI80 G8
 16.830.P.30×1010 Vectura-SAPP 10W 1400lm 3000K CRI80 G8
 16.830.P.30×1010 Vectura-SAPP 13W 1700lm 3000K CRI80 G8
 16.830.P.30×1010 Vectura-SAPP 15W 2000lm 3000K CRI80 G8

16.830.P.30×1510 Vectura-SAPP 10W 1150lm 3000K CRI80 G8
 16.830.P.30×1510 Vectura-SAPP 10W 1300lm 3000K CRI80 G8
 16.830.P.30×1510 Vectura-SAPP 12W 1500lm 3000K CRI80 G8
 16.830.P.30×1510 Vectura-SAPP 13W 1700lm 3000K CRI80 G8
 16.830.P.30×1510 Vectura-SAPP 14W 1900lm 3000K CRI80 G8
 16.830.P.30×1510 Vectura-SAPP 15W 2100lm 3000K CRI80 G8
 16.830.P.30×1510 Vectura-SAPP 19W 2600lm 3000K CRI80 G8
 16.830.P.30×1510 Vectura-SAPP 23W 3000lm 3000K CRI80 G8

16.830.P.30×2010 Vectura-SAPP 13W 1700lm 3000K CRI80 G8
 16.830.P.30×2010 Vectura-SAPP 14W 1800lm 3000K CRI80 G8
 16.830.P.30×2010 Vectura-SAPP 15W 2000lm 3000K CRI80 G8
 16.830.P.30×2010 Vectura-SAPP 17W 2300lm 3000K CRI80 G8
 16.830.P.30×2010 Vectura-SAPP 19W 2500lm 3000K CRI80 G8
 16.830.P.30×2010 Vectura-SAPP 21W 2700lm 3000K CRI80 G8
 16.830.P.30×2010 Vectura-SAPP 26W 3500lm 3000K CRI80 G8
 16.830.P.30×2010 Vectura-SAPP 30W 4000lm 3000K CRI80 G8

16.830.P.30×2510 Vectura-SAPP 16W 2100lm 3000K CRI80 G8
 16.830.P.30×2510 Vectura-SAPP 17W 2300lm 3000K CRI80 G8
 16.830.P.30×2510 Vectura-SAPP 19W 2600lm 3000K CRI80 G8
 16.830.P.30×2510 Vectura-SAPP 21W 2800lm 3000K CRI80 G8
 16.830.P.30×2510 Vectura-SAPP 24W 3100lm 3000K CRI80 G8
 16.830.P.30×2510 Vectura-SAPP 26W 3400lm 3000K CRI80 G8
 16.830.P.30×2510 Vectura-SAPP 32W 4300lm 3000K CRI80 G8
 16.830.P.30×2510 Vectura-SAPP 38W 5000lm 3000K CRI80 G8

16.830.P.30×3010 Vectura-SAPP 19W 2500lm 3000K CRI80 G8
 16.830.P.30×3010 Vectura-SAPP 20W 2700lm 3000K CRI80 G8
 16.830.P.30×3010 Vectura-SAPP 23W 3100lm 3000K CRI80 G8
 16.830.P.30×3010 Vectura-SAPP 26W 3400lm 3000K CRI80 G8
 16.830.P.30×3010 Vectura-SAPP 28W 3800lm 3000K CRI80 G8

16.830.P.30×3010 Vectura-SAPP 31W 4100lm 3000K CRI80 G8
16.830.P.30×3010 Vectura-SAPP 36W 6000lm 3000K CRI80 G8
16.830.P.30×3010 Vectura-SAPP 39W 5100lm 3000K CRI80 G8

16.830.P.30×3510 Vectura-SAPP 22W 3000lm 3000K CRI80 G8
16.830.P.30×3510 Vectura-SAPP 24W 3200lm 3000K CRI80 G8
16.830.P.30×3510 Vectura-SAPP 27W 3600lm 3000K CRI80 G8
16.830.P.30×3510 Vectura-SAPP 30W 4000lm 3000K CRI80 G8
16.830.P.30×3510 Vectura-SAPP 33W 4400lm 3000K CRI80 G8
16.830.P.30×3510 Vectura-SAPP 36W 4800lm 3000K CRI80 G8
16.830.P.30×3510 Vectura-SAPP 45W 6000lm 3000K CRI80 G8
16.830.P.30×3510 Vectura-SAPP 52W 6800lm 3000K CRI80 G8

16.830.P.30×4010 Vectura-SAPP 26W 3600lm 3000K CRI80 G8
16.830.P.30×4010 Vectura-SAPP 27W 3800lm 3000K CRI80 G8
16.830.P.30×4010 Vectura-SAPP 31W 4300lm 3000K CRI80 G8
16.830.P.30×4010 Vectura-SAPP 34W 4600lm 3000K CRI80 G8
16.830.P.30×4010 Vectura-SAPP 38W 5000lm 3000K CRI80 G8
16.830.P.30×4010 Vectura-SAPP 41W 5500lm 3000K CRI80 G8
16.830.P.30×4010 Vectura-SAPP 48W 6400lm 3000K CRI80 G8
16.830.P.30×4010 Vectura-SAPP 52W 6900lm 3000K CRI80 G8

16.830.P.30×4510 Vectura-SAPP 29W 3800lm 3000K CRI80 G8
16.830.P.30×4510 Vectura-SAPP 31W 4100lm 3000K CRI80 G8
16.830.P.30×4510 Vectura-SAPP 35W 4600lm 3000K CRI80 G8
16.830.P.30×4510 Vectura-SAPP 38W 5100lm 3000K CRI80 G8
16.830.P.30×4510 Vectura-SAPP 42W 5600lm 3000K CRI80 G8
16.830.P.30×4510 Vectura-SAPP 46W 6200lm 3000K CRI80 G8
16.830.P.30×4510 Vectura-SAPP 52W 6900lm 3000K CRI80 G8
16.830.P.30×4510 Vectura-SAPP 56W 7500lm 3000K CRI80 G8

16.840.P.30×1010 Vectura-SAPP 6W 900lm 4000K CRI80 G8
16.840.P.30×1010 Vectura-SAPP 7W 800lm 4000K CRI80 G8
16.840.P.30×1010 Vectura-SAPP 8W 1100lm 4000K CRI80 G8
16.840.P.30×1010 Vectura-SAPP 9W 1200lm 4000K CRI80 G8
16.840.P.30×1010 Vectura-SAPP 9W 1300lm 4000K CRI80 G8
16.840.P.30×1010 Vectura-SAPP 10W 1400lm 4000K CRI80 G8
16.840.P.30×1010 Vectura-SAPP 13W 1800lm 4000K CRI80 G8
16.840.P.30×1010 Vectura-SAPP 15W 2100lm 4000K CRI80 G8

16.840.P.30×1510 Vectura-SAPP 10W 1150lm 4000K CRI80 G8
16.840.P.30×1510 Vectura-SAPP 10W 1300lm 4000K CRI80 G8
16.840.P.30×1510 Vectura-SAPP 12W 1600lm 4000K CRI80 G8
16.840.P.30×1510 Vectura-SAPP 13W 1800lm 4000K CRI80 G8

16.840.P.30×1510 Vectura-SAPP 14W 2000lm 4000K CRI80 G8
16.840.P.30×1510 Vectura-SAPP 15W 2200lm 4000K CRI80 G8
16.840.P.30×1510 Vectura-SAPP 19W 2700lm 4000K CRI80 G8
16.840.P.30×1510 Vectura-SAPP 23W 3100lm 4000K CRI80 G8

16.840.P.30×2010 Vectura-SAPP 13W 1800lm 4000K CRI80 G8
16.840.P.30×2010 Vectura-SAPP 14W 1900lm 4000K CRI80 G8
16.840.P.30×2010 Vectura-SAPP 15W 2100lm 4000K CRI80 G8
16.840.P.30×2010 Vectura-SAPP 17W 2400lm 4000K CRI80 G8
16.840.P.30×2010 Vectura-SAPP 18W 2600lm 4000K CRI80 G8
16.840.P.30×2010 Vectura-SAPP 21W 2900lm 4000K CRI80 G8
16.840.P.30×2010 Vectura-SAPP 25W 3600lm 4000K CRI80 G8
16.840.P.30×2010 Vectura-SAPP 30W 4200lm 4000K CRI80 G8

16.840.P.30×2510 Vectura-SAPP 16W 2200lm 4000K CRI80 G8
16.840.P.30×2510 Vectura-SAPP 17W 2400lm 4000K CRI80 G8
16.840.P.30×2510 Vectura-SAPP 19W 2700lm 4000K CRI80 G8
16.840.P.30×2510 Vectura-SAPP 21W 3000lm 4000K CRI80 G8
16.840.P.30×2510 Vectura-SAPP 24W 3300lm 4000K CRI80 G8
16.840.P.30×2510 Vectura-SAPP 26W 3600lm 4000K CRI80 G8
16.840.P.30×2510 Vectura-SAPP 30W 4500lm 4000K CRI80 G8
16.840.P.30×2510 Vectura-SAPP 35W 5200lm 4000K CRI80 G8

16.840.P.30×3010 Vectura-SAPP 19W 2700lm 4000K CRI80 G8
16.840.P.30×3010 Vectura-SAPP 20W 2800lm 4000K CRI80 G8
16.840.P.30×3010 Vectura-SAPP 23W 3200lm 4000K CRI80 G8
16.840.P.30×3010 Vectura-SAPP 26W 3600lm 4000K CRI80 G8
16.840.P.30×3010 Vectura-SAPP 28W 3900lm 4000K CRI80 G8
16.840.P.30×3010 Vectura-SAPP 31W 4300lm 4000K CRI80 G8
16.840.P.30×3010 Vectura-SAPP 39W 5400lm 4000K CRI80 G8
16.840.P.30×3010 Vectura-SAPP 46W 6300lm 4000K CRI80 G8

16.840.P.30×3510 Vectura-SAPP 22W 3100lm 4000K CRI80 G8
16.840.P.30×3510 Vectura-SAPP 24W 3300lm 4000K CRI80 G8
16.840.P.30×3510 Vectura-SAPP 27W 3700lm 4000K CRI80 G8
16.840.P.30×3510 Vectura-SAPP 30W 4200lm 4000K CRI80 G8
16.840.P.30×3510 Vectura-SAPP 33W 4600lm 4000K CRI80 G8
16.840.P.30×3510 Vectura-SAPP 36W 5000lm 4000K CRI80 G8
16.840.P.30×3510 Vectura-SAPP 45W 6300lm 4000K CRI80 G8
16.840.P.30×3510 Vectura-SAPP 52W 7100lm 4000K CRI80 G8

16.840.P.30×4010 Vectura-SAPP 0W 0lm 4000K CRI80 G8
16.840.P.30×4010 Vectura-SAPP 26W 3600lm 4000K CRI80 G8
16.840.P.30×4010 Vectura-SAPP 27W 3800lm 4000K CRI80 G8

16.840.P.30×4010 Vectura-SAPP 31W 4300lm 4000K CRI80 G8
16.840.P.30×4010 Vectura-SAPP 34W 4800lm 4000K CRI80 G8
16.840.P.30×4010 Vectura-SAPP 37W 5300lm 4000K CRI80 G8
16.840.P.30×4010 Vectura-SAPP 41W 5700lm 4000K CRI80 G8
16.840.P.30×4010 Vectura-SAPP 48W 6700lm 4000K CRI80 G8

16.840.P.30×4510 Vectura-SAPP 29W 4000lm 4000K CRI80 G8
16.840.P.30×4510 Vectura-SAPP 31W 4300lm 4000K CRI80 G8
16.840.P.30×4510 Vectura-SAPP 35W 4800lm 4000K CRI80 G8
16.840.P.30×4510 Vectura-SAPP 38W 5400lm 4000K CRI80 G8
16.840.P.30×4510 Vectura-SAPP 42W 5900lm 4000K CRI80 G8
16.840.P.30×4510 Vectura-SAPP 46W 6500lm 4000K CRI80 G8
16.840.P.30×4510 Vectura-SAPP 52W 7300lm 4000K CRI80 G8
16.840.P.30×4510 Vectura-SAPP 56W 7800lm 4000K CRI80 G8

16.930.P.30×1010 Vectura-SAPP 6W 700lm 3000K CRI90 G8
16.930.P.30×1010 Vectura-SAPP 7W 800lm 3000K CRI90 G8
16.930.P.30×1010 Vectura-SAPP 8W 900lm 3000K CRI90 G8
16.930.P.30×1010 Vectura-SAPP 9W 1000lm 3000K CRI90 G8
16.930.P.30×1010 Vectura-SAPP 9W 1100lm 3000K CRI90 G8
16.930.P.30×1010 Vectura-SAPP 10W 1200lm 3000K CRI90 G8
16.930.P.30×1010 Vectura-SAPP 13W 1500lm 3000K CRI90 G8
16.930.P.30×1010 Vectura-SAPP 15W 1700lm 3000K CRI90 G8

16.930.P.30×1510 Vectura-SAPP 10W 1100lm 3000K CRI90 G8
16.930.P.30×1510 Vectura-SAPP 10W 1150lm 3000K CRI90 G8
16.930.P.30×1510 Vectura-SAPP 12W 1300lm 3000K CRI90 G8
16.930.P.30×1510 Vectura-SAPP 13W 1400lm 3000K CRI90 G8
16.930.P.30×1510 Vectura-SAPP 14W 1600lm 3000K CRI90 G8
16.930.P.30×1510 Vectura-SAPP 15W 1700lm 3000K CRI90 G8
16.930.P.30×1510 Vectura-SAPP 19W 2200lm 3000K CRI90 G8
16.930.P.30×1510 Vectura-SAPP 23W 2600lm 3000K CRI90 G8

16.930.P.30×2010 Vectura-SAPP 13W 1400lm 3000K CRI90 G8
16.930.P.30×2010 Vectura-SAPP 14W 1500lm 3000K CRI90 G8
16.930.P.30×2010 Vectura-SAPP 15W 1700lm 3000K CRI90 G8
16.930.P.30×2010 Vectura-SAPP 17W 1900lm 3000K CRI90 G8
16.930.P.30×2010 Vectura-SAPP 19W 2100lm 3000K CRI90 G8
16.930.P.30×2010 Vectura-SAPP 21W 2300lm 3000K CRI90 G8
16.930.P.30×2010 Vectura-SAPP 33W 4700lm 3000K CRI90 G8
16.930.P.30×2010 Vectura-SAPP 36W 5100lm 3000K CRI90 G8

16.930.P.30×2510 Vectura-SAPP 16W 1800lm 3000K CRI90 G8
16.930.P.30×2510 Vectura-SAPP 17W 1900lm 3000K CRI90 G8

16.930.P.30×2510 Vectura-SAPP 19W 2200lm 3000K CRI90 G8
16.930.P.30×2510 Vectura-SAPP 21W 2400lm 3000K CRI90 G8
16.930.P.30×2510 Vectura-SAPP 24W 2700lm 3000K CRI90 G8
16.930.P.30×2510 Vectura-SAPP 26W 2900lm 3000K CRI90 G8
16.930.P.30×2510 Vectura-SAPP 32W 3600lm 3000K CRI90 G8
16.930.P.30×2510 Vectura-SAPP 38W 4300lm 3000K CRI90 G8

16.930.P.30×3010 Vectura-SAPP 19W 2200lm 3000K CRI90 G8
16.930.P.30×3010 Vectura-SAPP 20W 2300lm 3000K CRI90 G8
16.930.P.30×3010 Vectura-SAPP 23W 2600lm 3000K CRI90 G8
16.930.P.30×3010 Vectura-SAPP 26W 2900lm 3000K CRI90 G8
16.930.P.30×3010 Vectura-SAPP 28W 3200lm 3000K CRI90 G8
16.930.P.30×3010 Vectura-SAPP 31W 3500lm 3000K CRI90 G8
16.930.P.30×3010 Vectura-SAPP 39W 4700lm 3000K CRI90 G8
16.930.P.30×3010 Vectura-SAPP 46W 5100lm 3000K CRI90 G8

16.930.P.30×3510 Vectura-SAPP 22W 2500lm 3000K CRI90 G8
16.930.P.30×3510 Vectura-SAPP 24W 2700lm 3000K CRI90 G8
16.930.P.30×3510 Vectura-SAPP 27W 3000lm 3000K CRI90 G8
16.930.P.30×3510 Vectura-SAPP 27W 3400lm 3000K CRI90 G8
16.930.P.30×3510 Vectura-SAPP 33W 3700lm 3000K CRI90 G8
16.930.P.30×3510 Vectura-SAPP 36W 4100lm 3000K CRI90 G8
16.930.P.30×3510 Vectura-SAPP 45W 5100lm 3000K CRI90 G8
16.930.P.30×3510 Vectura-SAPP 53W 5900lm 3000K CRI90 G8

16.930.P.30×4010 Vectura-SAPP 26W 3600lm 3000K CRI90 G8
16.930.P.30×4010 Vectura-SAPP 27W 3800lm 3000K CRI90 G8
16.930.P.30×4010 Vectura-SAPP 31W 4300lm 3000K CRI90 G8
16.930.P.30×4010 Vectura-SAPP 34W 4600lm 3000K CRI90 G8
16.930.P.30×4010 Vectura-SAPP 38W 5000lm 3000K CRI90 G8
16.930.P.30×4010 Vectura-SAPP 41W 5500lm 3000K CRI90 G8
16.930.P.30×4010 Vectura-SAPP 48W 6400lm 3000K CRI90 G8
16.930.P.30×4010 Vectura-SAPP 52W 6900lm 3000K CRI90 G8

16.930.P.30×4510 Vectura-SAPP 29W 3200lm 3000K CRI90 G8
16.930.P.30×4510 Vectura-SAPP 31W 3400lm 3000K CRI90 G8
16.930.P.30×4510 Vectura-SAPP 35W 3900lm 3000K CRI90 G8
16.930.P.30×4510 Vectura-SAPP 38W 4300lm 3000K CRI90 G8
16.930.P.30×4510 Vectura-SAPP 42W 4800lm 3000K CRI90 G8
16.930.P.30×4510 Vectura-SAPP 46W 5200lm 3000K CRI90 G8
16.930.P.30×4510 Vectura-SAPP 52W 5900lm 3000K CRI90 G8
16.930.P.30×4510 Vectura-SAPP 56W 6300lm 3000K CRI90 G8

16.940.P.30×1010 Vectura-SAPP 6W 700lm 4000K CRI90 G7

16.940.P.30×1010 Vectura-SAPP 7W 800lm 4000K CRI90 G7
16.940.P.30×1010 Vectura-SAPP 8W 900lm 4000K CRI90 G7
16.940.P.30×1010 Vectura-SAPP 9W 1000lm 4000K CRI90 G7
16.940.P.30×1010 Vectura-SAPP 9W 1100lm 4000K CRI90 G7
16.940.P.30×1010 Vectura-SAPP 10W 1200lm 4000K CRI90 G7
16.940.P.30×1010 Vectura-SAPP 33W 4700lm 4000K CRI90 G7
16.940.P.30×1010 Vectura-SAPP 36W 5100lm 4000K CRI90 G7

16.940.P.30×1510 Vectura-SAPP 10W 1100lm 4000K CRI90 G7
16.940.P.30×1510 Vectura-SAPP 10W 1200lm 4000K CRI90 G7
16.940.P.30×1510 Vectura-SAPP 12W 1400lm 4000K CRI90 G7
16.940.P.30×1510 Vectura-SAPP 13W 1500lm 4000K CRI90 G7
16.940.P.30×1510 Vectura-SAPP 14W 1700lm 4000K CRI90 G7
16.940.P.30×1510 Vectura-SAPP 15W 1800lm 4000K CRI90 G7
16.940.P.30×1510 Vectura-SAPP 33W 4700lm 4000K CRI90 G7
16.940.P.30×1510 Vectura-SAPP 36W 5100lm 4000K CRI90 G7

16.940.P.30×2010 Vectura-SAPP 13W 1500lm 4000K CRI90 G7
16.940.P.30×2010 Vectura-SAPP 14W 1600lm 4000K CRI90 G7
16.940.P.30×2010 Vectura-SAPP 15W 1800lm 4000K CRI90 G7
16.940.P.30×2010 Vectura-SAPP 17W 2000lm 4000K CRI90 G7
16.940.P.30×2010 Vectura-SAPP 19W 2200lm 4000K CRI90 G7
16.940.P.30×2010 Vectura-SAPP 21W 2400lm 4000K CRI90 G7
16.940.P.30×2010 Vectura-SAPP 33W 4700lm 4000K CRI90 G7
16.940.P.30×2010 Vectura-SAPP 36W 5100lm 4000K CRI90 G7

16.940.P.30×2510 Vectura-SAPP 16W 1900lm 4000K CRI90 G7
16.940.P.30×2510 Vectura-SAPP 17W 2000lm 4000K CRI90 G7
16.940.P.30×2510 Vectura-SAPP 19W 2300lm 4000K CRI90 G7
16.940.P.30×2510 Vectura-SAPP 21W 2500lm 4000K CRI90 G7
16.940.P.30×2510 Vectura-SAPP 24W 2800lm 4000K CRI90 G7
16.940.P.30×2510 Vectura-SAPP 26W 3000lm 4000K CRI90 G7
16.940.P.30×2510 Vectura-SAPP 32W 3800lm 4000K CRI90 G7
16.940.P.30×2510 Vectura-SAPP 38W 4400lm 4000K CRI90 G7

16.940.P.30×3010 Vectura-SAPP 19W 2300lm 4000K CRI90 G7
16.940.P.30×3010 Vectura-SAPP 20W 2400lm 4000K CRI90 G7
16.940.P.30×3010 Vectura-SAPP 23W 2700lm 4000K CRI90 G7
16.940.P.30×3010 Vectura-SAPP 26W 3000lm 4000K CRI90 G7
16.940.P.30×3010 Vectura-SAPP 28W 3300lm 4000K CRI90 G7
16.940.P.30×3010 Vectura-SAPP 31W 3600lm 4000K CRI90 G7
16.940.P.30×3010 Vectura-SAPP 33W 4700lm 4000K CRI90 G7
16.940.P.30×3010 Vectura-SAPP 36W 5100lm 4000K CRI90 G7

16.940.P.30×3510 Vectura-SAPP 22W 2600lm 4000K CRI90 G8
16.940.P.30×3510 Vectura-SAPP 24W 2800lm 4000K CRI90 G8
16.940.P.30×3510 Vectura-SAPP 27W 3200lm 4000K CRI90 G8
16.940.P.30×3510 Vectura-SAPP 30W 3500lm 4000K CRI90 G8
16.940.P.30×3510 Vectura-SAPP 33W 3900lm 4000K CRI90 G8
16.940.P.30×3510 Vectura-SAPP 36W 4200lm 4000K CRI90 G8
16.940.P.30×3510 Vectura-SAPP 45W 5300lm 4000K CRI90 G8
16.940.P.30×3510 Vectura-SAPP 52W 6000lm 4000K CRI90 G8

16.940.P.30×4010 Vectura-SAPP 26W 3000lm 4000K CRI90 G8
16.940.P.30×4010 Vectura-SAPP 27W 3200lm 4000K CRI90 G8
16.940.P.30×4010 Vectura-SAPP 31W 3600lm 4000K CRI90 G8
16.940.P.30×4010 Vectura-SAPP 34W 4000lm 4000K CRI90 G8
16.940.P.30×4010 Vectura-SAPP 38W 4400lm 4000K CRI90 G8
16.940.P.30×4010 Vectura-SAPP 41W 4900lm 4000K CRI90 G8
16.940.P.30×4010 Vectura-SAPP 48W 5700lm 4000K CRI90 G8
16.940.P.30×4010 Vectura-SAPP 52W 6100lm 4000K CRI90 G8

16.940.P.30×4510 Vectura-SAPP 29W 3400lm 4000K CRI90 G8
16.940.P.30×4510 Vectura-SAPP 31W 3600lm 4000K CRI90 G8
16.940.P.30×4510 Vectura-SAPP 35W 4100lm 4000K CRI90 G8
16.940.P.30×4510 Vectura-SAPP 38W 4500lm 4000K CRI90 G8
16.940.P.30×4510 Vectura-SAPP 42W 5000lm 4000K CRI90 G8
16.940.P.30×4510 Vectura-SAPP 46W 5500lm 4000K CRI90 G8
16.940.P.30×4510 Vectura-SAPP 52W 6100lm 4000K CRI90 G8
16.940.P.30×4510 Vectura-SAPP 56W 6600lm 4000K CRI90 G8

LDT / PHOTOMETRICS DOWNLOADS

LDT / Photometrics downloads

All downloads can be found centrally per family at

<https://atomis.nl/ldt-photometrics/>