

ZUMO CONTOUR SPOT




The Zumo Contour spot is an LED spotlight with a contour projector, suitable for standard 3-circuit track systems. The spot features a powerful LED with a high color rendering index (CRI > 97).

- Can be used on standard high-voltage tracks
- High CRI (> 97) color rendering index
- Stroboscopic-free dimming (according to IEEE 1789) on the spot
- Particularly suitable for lighting galleries, museums and exhibition spaces

Categories: [Track luminaires](#)



PRODUCT IMAGES



The Zumo Contour spot is an LED spotlight with a contour projector, suitable for standard 3-circuit track systems. The spot features a powerful LED with a high color rendering index (CRI > 97).

- Can be used on standard high-voltage tracks
- High CRI (> 97) color rendering index
- Stroboscopic-free dimming (according to IEEE 1789) on the spot
- Particularly suitable for lighting galleries, museums and exhibition spaces

NOTES

ADDITIONAL INFORMATION

Isolatieklasse	Class-I
Driver positie	Integrated
Light control	1-10V dimming, Casambi dimming, DALI dimming
Shape	Round
Photobiological safety	IEC 62471: RG1 (low risc)
Ambient temperature	-20°C / +40°C
Primaire aansluitingen	Fase track
Productkleur	On request
Bevestiging	Rail
Color Rendering Index (CRI)	CRI97
Emergency lighting	1 hour emergency power, Optional, Optional 1 hour autonomy self-test
Optics	Lens
Family	Zumo
Kleurconsistentie (SDCM)	SDCM=2
Voltage / frequency	220-240V, 50 / 60Hz
Material	Aluminium
Oriëntatie	Adjustable
Powerfactor	>0.9
Producttoepassing	Education, Exhibition spaces, Hospitality, Office, Public spaces, Retail

