Atomis
architectural lighting

“Light, perfected”

Product catalogue

Architectural LED lighting

2026 / 2027

Contents

Products by family

Aura 4
Avion 6
Baseline 7
Core 9
Cylus 11
Eclipse 12
Evolo 14
Ferro 15
Floren 16
Flow 18
Focus 20
Fusion 23
Grid 27
Hexa 28
Inlite 29
Interline 31
Lightscape 35
Linea 37
Linterna 38
LumaCore 39
Meson 40
Metronome 44
Miro 47
Moonglow 49
Mosa 51
Myos 52
Oculus 55
Oxo 57
Prime 58
Sirio 60
Skyline 62
Stratos 64
Track 65
Vector 66
Vintare 67
Zumo 69



Our core values

What Atomis stands for

01

Light quality

High-quality light with excellent colour rendering up to CRI90 and low glare — for comfort, atmosphere and precision.

02

Sustainability

Energy-efficient LED solutions with a long lifespan, designed to perform reliably for years.

03

Circular design

Luminaires that can be maintained, repaired and reused — less waste, more value.

04

Made in NL

Developed and produced in the Netherlands, with short lines and full control over quality and lead time.

05

Custom work

Flexible configurations and project-specific versions, precisely tuned to every space.

06

Social enterprise

Doing business with care for people and society, among others through Social Return and partnership with the DGBC.


Aura

2 products

Aura is a range of decorative LED wall luminaires by Atomis with indirect light, available in a round and a triangular shape. Available in 3000K, with a colour rendering of CRI 90, controllable via ON-OFF · DALI-2.

SPECIFICATIONS


Light colour	**3000K**
Colour rendering	**CRI 90**
Control	**ON-OFF · DALI-2**



Aura-Round

SURFACE-MOUNTED LUMINAIRES

DALI-2 ON-OFF



Aura-Triangle

SURFACE-MOUNTED LUMINAIRES

DALI-2 ON-OFF

REFERENCE PROJECTS

A selection of our completed projects















Avion

2 products

Avion is a family of rectangular LED luminaires that combine calm and clarity. Thanks to a refined lens-and-louvre optic, Avion delivers comfortable, low-glare light (UGR <19) — ideal for offices and screen-based workplaces. Available as a climate-ceiling version (Avion-K) and as a recessed/inlay variant (Avion-B). Available in 2700–4000K and tunable white, with a colour rendering of CRI 80/90, controllable via ON-OFF · DALI-2 · 1-10V · Casambi.

SPECIFICATIONS

Light colour	**2700–4000K · tunable white**
Colour rendering	**CRI 80/90**
Control	**ON-OFF · DALI-2 · 1-10V · Casambi**

Custom work

Custom work possible. We tailor dimensions, light colour, optics and finish per project, so the luminaire integrates seamlessly with your design, ceiling system and lighting needs.



Avion-B

RECESSED AND INLAY LUMINAIRES

DALI-2 · ON-OFF · CASAMBI



Avion-K

CLIMATE-CEILING LUMINAIRES

DALI-2 · ON-OFF · CASAMBI

Baseline

2 products

Baseline is a range of rectangular LED pendant luminaires by Atomis with a microprismatic optic and a low glare rating. Available in 3000–4000K, with a colour rendering of CRI 80/90, controllable via ON-OFF · DALI-2 · 1-10V · Casambi.

SPECIFICATIONS

Light colour	**3000–4000K**
Colour rendering	**CRI 80/90**
Control	**ON-OFF · DALI-2 · 1-10V · Casambi**

Custom work


Custom work possible. We tailor dimensions, light colour, optics and finish per project, so the luminaire integrates seamlessly with your design, ceiling system and lighting needs.



Baseline 30-S

PENDANT LUMINAIRES

DALI-2 ON-OFF CASAMBI



Baseline 30-SAPP

CLIMATE-CEILING LUMINAIRES

DALI-2 ON-OFF CASAMBI



REFERENCE PROJECT

Gemeentehuis Voorst

Twello

Representative light for an open, welcoming town hall.


Core

8 products · 1/2

Core is a range of compact LED recessed spots by Atomis with a diameter of 80 mm, available in white and black and in fixed and adjustable versions. Available in 2700–4000K, with a colour rendering of CRI 90, controllable via ON-OFF · DALI-2.

SPECIFICATIONS

Light colour	**2700–4000K**
Colour rendering	**CRI 90**
Control	**ON-OFF · DALI-2**



Core 80 Black

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF



Core 80 Black Stucplafond

DOWNLIGHTS AND RECESSED SPOTS


DALI-2 ON-OFF



Core 80 White

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF



Core 80 White Stucplafond

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF



Core-Adjustable 80 Black

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF



Core-Adjustable 80 Black Stucplafond

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF

Core

8 products · 2/2



Core-Adjustable 80 White

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF



Core-Adjustable 80 White Stucplafond

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF

Cylus

6 products

Cylus is a luminaire family for project-based architectural lighting. Available in 3000–4000K, with a colour rendering of CRI 90, controllable via ON-OFF · DALI-2 · 1-10V.

SPECIFICATIONS

Light colour	**3000–4000K**
Colour rendering	**CRI 90**
Control	**ON-OFF · DALI-2 · 1-10V**



Cylus 40 Black

PENDANT LUMINAIRES

DALI-2 ON-OFF



Cylus 40 White

PENDANT LUMINAIRES

DALI-2 ON-OFF



Cylus 50 Black

PENDANT LUMINAIRES

DALI-2 ON-OFF



Cylus 50 White

PENDANT LUMINAIRES

DALI-2 ON-OFF



Cylus-A1 260 Black

PENDANT LUMINAIRES

DALI-2 ON-OFF



Cylus-B1 300 Black

PENDANT LUMINAIRES

DALI-2 ON-OFF


Eclipse

2 products

Eclipse is a round LED surface-mounted luminaire by Atomis with a soft, indirect light image, available in white and black. Available in 3000K, with a colour rendering of CRI 90, controllable via ON-OFF.

SPECIFICATIONS

Light colour	**3000K**
Colour rendering	**CRI 90**
Control	**ON-OFF**



Eclipse 260 Black

SURFACE-MOUNTED LUMINAIRES

ON-OFF



Eclipse 260 White

SURFACE-MOUNTED LUMINAIRES

ON-OFF



REFERENCE PROJECT

Fugro

Nootdorp

A future-proof head office with sustainable, comfortable light.

Evolo

4 products


Evolo is a family of elegant, slim LED luminaires fitted with a row of mid-power LEDs, each with its own lens and louvre for comfortable light. Available as a pendant (Evolo-S) and in the refined Grill and L versions for a sleek, architectural light image. Available in 2700–4000K and tunable white, with a colour rendering of CRI 80/90, controllable via ON-OFF · DALI-2 · 1-10V · Casambi.

SPECIFICATIONS

Light colour	**2700–4000K · tunable white**
Colour rendering	**CRI 80/90**
Control	**ON-OFF · DALI-2 · 1-10V · Casambi**

Custom work


Custom work possible. We tailor dimensions, light colour, optics and finish per project, so the luminaire integrates seamlessly with your design, ceiling system and lighting needs.



Evolo-Felt

LOUVRE-CEILING LUMINAIRES

DALI-2 ON-OFF CASAMBI



Evolo-Grill

LOUVRE-CEILING LUMINAIRES

DALI-2 ON-OFF CASAMBI



Evolo-L

LOUVRE-CEILING LUMINAIRES

DALI-2 ON-OFF CASAMBI



Evolo-S

PENDANT LUMINAIRES

DALI-2 ON-OFF CASAMBI

Ferro

3 products

Ferro is a family of high-quality surface-mounted LED luminaires for projects where functionality and reliability come first. The range includes sleek linear versions (1200 and 1500 mm) and a round variant (Round 360). Available in 3000–4000K, with a colour rendering of CRI 80/90, controllable via ON-OFF · DALI-2 · 1-10V.

SPECIFICATIONS

Light colour	**3000–4000K**
Colour rendering	**CRI 80/90**
Control	**ON-OFF · DALI-2 · 1-10V**



Ferro Round 360

IP/IK-RATED LUMINAIRES

DALI-2 ON-OFF



Ferro lineair 1200

IP/IK-RATED LUMINAIRES

DALI-2 ON-OFF



Ferro lineair 1500

IP/IK-RATED LUMINAIRES

DALI-2 ON-OFF

Floren

3 products

Floren is a family of sleek LED track luminaires for 3-phase track. The Floren Wallwasher washes walls and vertical surfaces evenly with light. Available in 2700–4000K and tunable white, with a colour rendering of CRI 90/97, controllable via ON-OFF · DALI-2 · 1-10V · Casambi.

SPECIFICATIONS

Light colour	**2700–4000K · tunable white**
Colour rendering	**CRI 90/97**
Control	**ON-OFF · DALI-2 · 1-10V · Casambi**



Floren 300 Wallwasher

TRACK LUMINAIRES

DALI-2 ON-OFF CASAMBI



Floren 600 Wallwasher

TRACK LUMINAIRES

DALI-2 ON-OFF CASAMBI



Floren 900 Wallwasher


TRACK LUMINAIRES

DALI-2 ON-OFF CASAMBI

A selection of our completed projects















Flow

8 products · 1/2

Flow is a range of round LED luminaires by Atomis in three diameters, available as a surface-mounted or a pendant luminaire. Available in 3000–4000K, with a colour rendering of CRI 90, controllable via ON-OFF · DALI-2.

SPECIFICATIONS

Light colour	**3000–4000K**
Colour rendering	**CRI 90**
Control	**ON-OFF · DALI-2**



Flow 450

SURFACE-MOUNTED LUMINAIRES

DALI-2 ON-OFF



Flow 450 Pendel

PENDANT LUMINAIRES

DALI-2 ON-OFF



Flow 450 Pendel Up/Down

PENDANT LUMINAIRES

DALI-2 ON-OFF



Flow 600

SURFACE-MOUNTED LUMINAIRES

DALI-2 ON-OFF



Flow 600 Pendel

PENDANT LUMINAIRES

DALI-2 ON-OFF



Flow 600 Pendel Up/Down

PENDANT LUMINAIRES

DALI-2 ON-OFF

Flow

8 products · 2/2



Flow 900

SURFACE-MOUNTED LUMINAIRES

DALI-2 ON-OFF



Flow 900 Pendel

PENDANT LUMINAIRES

DALI-2 ON-OFF

Focus

14 products · 1/2

Focus is a compact 75 mm recessed-spot family with a single cut-out size and a broad palette of looks and finishes, for comfortable accent and ambient light in a wide range of spaces. Available in 3000–4000K, with a colour rendering of CRI 90, controllable via ON-OFF · DALI-2.

SPECIFICATIONS

Light colour	**3000–4000K**
Colour rendering	**CRI 90**
Control	**ON-OFF · DALI-2**



Focus-Adjustable 75 White

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF



Focus-Arc 75 Black

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF



Focus-Arc 75 White

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF



Focus-Base 75 White

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF



Focus-Base 75 White Stucplafond

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF



Focus-Base 75 White/Black

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF

Focus

14 products · 2/2



Focus-Cup 75 White

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF



Focus-Eye 75 White

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF



Focus-Pin 75 White

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF



Focus-Spot 1 75 White

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF



Focus-Spot 2 75 White

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF



Focus-Thin 75 Chrome

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF



Focus-Thin 75 Gunmetal

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF



Focus-Thin 75 White

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF



REFERENCE PROJECT

Centraal Museum

Utrecht

Museum-grade light quality with respect for art and space.

Fusion

21 products · 1/3

Fusion is a flexible family of architectural project luminaires for recessed and surface mounting, suited to a wide range of ceiling and space applications in offices and public areas. Available in 2700–4000K and tunable white, with a colour rendering of CRI 80/90, controllable via ON-OFF · DALI-2 · 1-10V · Casambi.

SPECIFICATIONS

Light colour	**2700–4000K · tunable white**
Colour rendering	**CRI 80/90**
Control	**ON-OFF · DALI-2 · 1-10V · Casambi**

Custom work


Custom work possible. We tailor dimensions, light colour, optics and finish per project, so the luminaire integrates seamlessly with your design, ceiling system and lighting needs.



Fusion-K

CLIMATE-CEILING LUMINAIRES

DALI-2 ON-OFF CASAMBI



Fusion-B

RECESSED AND INLAY LUMINAIRES

DALI-2 ON-OFF CASAMBI



Fusion-BM

RECESSED AND INLAY LUMINAIRES


DALI-2 ON-OFF CASAMBI



Fusion-C

SURFACE-MOUNTED LUMINAIRES


DALI-2 ON-OFF CASAMBI



Fusion-M 300x1200

RECESSED AND INLAY LUMINAIRES

DALI-2 ON-OFF CASAMBI




Fusion-M 300x1500

RECESSED AND INLAY LUMINAIRES

DALI-2 ON-OFF CASAMBI

Fusion

21 products · 2/3



Fusion-M Square 600x600

RECESSED AND INLAY LUMINAIRES

DALI-2 ON-OFF CASAMBI



Fusion-L

LOUVRE-CEILING LUMINAIRES

DALI-2 ON-OFF CASAMBI



Fusion-Grill

LOUVRE-CEILING LUMINAIRES

DALI-2 ON-OFF CASAMBI



Fusion-S1

PENDANT LUMINAIRES

DALI-2 ON-OFF CASAMBI



Fusion-Track

TRACK LUMINAIRES

DALI-2 ON-OFF CASAMBI



Fusion-RF Refurbishment

REFURBISHMENT LUMINAIRES

DALI-2 ON-OFF CASAMBI



Fusion-SAPP 1200

CLIMATE-CEILING LUMINAIRES

DALI-2 ON-OFF CASAMBI



Fusion-SAPP 1500

CLIMATE-CEILING LUMINAIRES

DALI-2 ON-OFF CASAMBI



Fusion-WEC 900

CLIMATE-CEILING LUMINAIRES

DALI-2 ON-OFF CASAMBI

Fusion

21 products · 3/3



Fusion-WEC 1200

CLIMATE-CEILING LUMINAIRES


DALI-2 ON-OFF CASAMBI



Fusion-WEC 1500

CLIMATE-CEILING LUMINAIRES

DALI-2 ON-OFF CASAMBI



Fusion-CG Square 600x600

CONCEALED SUPPORT-PROFILE LUMINAIRES

DALI-2 ON-OFF CASAMBI



Fusion-Easy-KlimaPlus 900

CLIMATE-CEILING LUMINAIRES

DALI-2 ON-OFF CASAMBI



Fusion-Easy-KlimaPlus 1200

CLIMATE-CEILING LUMINAIRES

DALI-2 ON-OFF CASAMBI



Fusion-Easy-KlimaPlus 1500

CLIMATE-CEILING LUMINAIRES

DALI-2 ON-OFF CASAMBI



REFERENCE PROJECT

Nikon

Amstelveen

Clear, precise light that suits the brand.

Grid

2 products

Grid is a family of rectangular LED luminaires that integrate seamlessly into modular and grid ceilings. Thanks to the lens-and-louvre optic, glare fades into the background and a comfortable, even light image remains (UGR <19). Available for climate ceilings (Grid-K) and as recessed/inlay (Grid-B). Available in 2700–4000K and tunable white, with a colour rendering of CRI 80/90, controllable via ON-OFF · DALI-2 · 1-10V · Casambi.

SPECIFICATIONS

Light colour	**2700–4000K · tunable white**
Colour rendering	**CRI 80/90**
Control	**ON-OFF · DALI-2 · 1-10V · Casambi**

Custom work

Custom work possible. We tailor dimensions, light colour, optics and finish per project, so the luminaire integrates seamlessly with your design, ceiling system and lighting needs.



Grid-B

RECESSED AND INLAY LUMINAIRES

DALI-2 · ON-OFF · CASAMBI



Grid-K

CLIMATE-CEILING LUMINAIRES

DALI-2 · ON-OFF · CASAMBI

Hexa

4 products

Hexa is a range of compact, round LED surface-mounted spots by Atomis, available in two diameters and in black or white. Available in 3000–4000K, with a colour rendering of CRI 90, controllable via ON-OFF.

SPECIFICATIONS

Light colour	**3000–4000K**
Colour rendering	**CRI 90**
Control	**ON-OFF**



Hexa 75 Black

SURFACE-MOUNTED LUMINAIRES

ON-OFF



Hexa 75 White

SURFACE-MOUNTED LUMINAIRES

ON-OFF



Hexa 95 Black

SURFACE-MOUNTED LUMINAIRES

ON-OFF



Hexa 95 White

SURFACE-MOUNTED LUMINAIRES

ON-OFF


Inlite

1 product

High-quality LED recessed downlights with a glare-reducing reflector and a satin diffuser. Available in 3000–4000K, with a colour rendering of CRI 80, controllable via ON-OFF · DALI-2 · 1-10V · Casambi.

SPECIFICATIONS

Light colour	**3000–4000K**
Colour rendering	**CRI 80**
Control	**ON-OFF · DALI-2 · 1-10V · Casambi**




Inlite 170

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF CASAMBI

A selection of our completed projects
















Interline

18 products · 1/3


Interline is a family of seamless line lighting that integrates sleekly into the ceiling, ideal for continuous light lines in offices, education and representative interiors. Available in 3000–4000K, with a colour rendering of CRI 80/90, controllable via ON-OFF · DALI-2 · 1-10V.

SPECIFICATIONS

Light colour	**3000–4000K**
Colour rendering	**CRI 80/90**
Control	**ON-OFF · DALI-2 · 1-10V**

Custom work


Custom work possible. We tailor dimensions, light colour, optics and finish per project, so the luminaire integrates seamlessly with your design, ceiling system and lighting needs.



Interline-SAPP 280

CLIMATE-CEILING LUMINAIRES


DALI-2 ON-OFF



Interline-SAPP 850

CLIMATE-CEILING LUMINAIRES


DALI-2 ON-OFF



Interline-SAPP 1130

CLIMATE-CEILING LUMINAIRES


DALI-2 ON-OFF



Interline-SAPP 1410

CLIMATE-CEILING LUMINAIRES


DALI-2 ON-OFF



Interline-SAPP Opaal 610

CLIMATE-CEILING LUMINAIRES

DALI-2 ON-OFF



Interline-SAPP Opaal 910

CLIMATE-CEILING LUMINAIRES

DALI-2 ON-OFF

Interline


18 products · 2/3



Interline-SAPP Opaal 1210

CLIMATE-CEILING LUMINAIRES

DALI-2 ON-OFF



Interline-SAPP Opaal 1510

CLIMATE-CEILING LUMINAIRES


DALI-2 ON-OFF



Interline-WEC 850

CLIMATE-CEILING LUMINAIRES

DALI-2 ON-OFF



Interline-WEC 1130

CLIMATE-CEILING LUMINAIRES


DALI-2 ON-OFF



Interline-WEC 1410

CLIMATE-CEILING LUMINAIRES


DALI-2 ON-OFF



Interline-WEC Opaal 610

CLIMATE-CEILING LUMINAIRES


DALI-2 ON-OFF



Interline-WEC Opaal 910

CLIMATE-CEILING LUMINAIRES


DALI-2 ON-OFF



Interline-WEC Opaal 1210

CLIMATE-CEILING LUMINAIRES

DALI-2 ON-OFF



Interline-WEC Opaal 1510

CLIMATE-CEILING LUMINAIRES

DALI-2 ON-OFF

Interline

18 products · 3/3



Interline-S 850

PENDANT LUMINAIRES

DALI-2 ON-OFF



Interline-S 1130

PENDANT LUMINAIRES

DALI-2 ON-OFF



Interline-S 1410

PENDANT LUMINAIRES

DALI-2 ON-OFF



REFERENCE PROJECT

Plus Ultra

Amsterdam

Inspiring light for an innovative working environment.

Lightscape

4 products

Lightscape is a flexible family that unites track lighting and pendant luminaires. From adjustable 3-phase track luminaires to slim pendants (80-S), you accent and illuminate spaces from one consistent design language. Available in 2700–4000K and tunable white, with a colour rendering of CRI 80/90, controllable via ON-OFF · DALI-2 · 1-10V · Casambi.

SPECIFICATIONS

Light colour	**2700–4000K · tunable white**
Colour rendering	**CRI 80/90**
Control	**ON-OFF · DALI-2 · 1-10V · Casambi**

Custom work

Custom work possible. We tailor dimensions, light colour, optics and finish per project, so the luminaire integrates seamlessly with your design, ceiling system and lighting needs.



Lightscape 30-Track 1500

TRACK LUMINAIRES


DALI-2 ON-OFF CASAMBI



Lightscape 30-Track Directable 1500

TRACK LUMINAIRES

DALI-2 ON-OFF CASAMBI



Lightscape 80-C

SURFACE-MOUNTED LUMINAIRES

DALI-2 ON-OFF CASAMBI




Lightscape 80-S

PENDANT LUMINAIRES


DALI-2 ON-OFF CASAMBI

A selection of our completed projects

















Linea

4 products

Linea is a range of rectangular LED wall luminaires by Atomis with up- and downward light, available in four lengths. Available in 3000K, with a colour rendering of CRI 90, controllable via ON-OFF.

SPECIFICATIONS


Light colour	**3000K**
Colour rendering	**CRI 90**
Control	**ON-OFF**



Linea 230

SURFACE-MOUNTED LUMINAIRES


ON-OFF



Linea 300

SURFACE-MOUNTED LUMINAIRES


ON-OFF



Linea 450

SURFACE-MOUNTED LUMINAIRES

ON-OFF



Linea 550

SURFACE-MOUNTED LUMINAIRES

ON-OFF

Linterna

4 products


Linterna is a family of linear LED luminaires with a parabolic louvre for comfortable, low-glare light. The range runs from surface-mounted (Linterna-C) and pendant (Linterna-S) to an inlay version with bat-wing louvre (Linterna-B) for climate and metal ceilings. Available in 2700–4000K and tunable white, with a colour rendering of CRI 80/90, controllable via ON-OFF · DALI-2 · 1-10V · Casambi.

SPECIFICATIONS

Light colour	**2700–4000K · tunable white**
Colour rendering	**CRI 80/90**
Control	**ON-OFF · DALI-2 · 1-10V · Casambi**

Custom work


Custom work possible. We tailor dimensions, light colour, optics and finish per project, so the luminaire integrates seamlessly with your design, ceiling system and lighting needs.



Linterna-B

RECESSED AND INLAY LUMINAIRES

DALI-2 · ON-OFF · CASAMBI



Linterna-C

SURFACE-MOUNTED LUMINAIRES


DALI-2 · ON-OFF · CASAMBI



Linterna-K

CLIMATE-CEILING LUMINAIRES

DALI-2 · ON-OFF · CASAMBI



Linterna-S

PENDANT LUMINAIRES

DALI-2 · ON-OFF · CASAMBI

LumaCore

4 products

Modular 600x600 mm LED recessed luminaires for suspended ceilings, with an architectural appearance. Available in 3000–4000K, with a colour rendering of CRI 80/90, controllable via ON-OFF · DALI-2 · 1-10V · Casambi.

SPECIFICATIONS

Light colour	**3000–4000K**
Colour rendering	**CRI 80/90**
Control	**ON-OFF · DALI-2 · 1-10V · Casambi**



LumaCore D120 1200x300

RECESSED AND INLAY LUMINAIRES

DALI-2 ON-OFF CASAMBI



LumaCore D60 600x600

RECESSED AND INLAY LUMINAIRES

DALI-2 ON-OFF CASAMBI



LumaCore DLO 180 downlight

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF CASAMBI



LumaCore DLS 180 downlight

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF CASAMBI

Meson

19 products · 1/3

Meson is a versatile family of downlights and recessed spots for project-based architectural lighting — from offices and hospitality to public spaces, with comfortable and refined light. Available in 2700–4000K and tunable white, with a colour rendering of CRI 80/90, controllable via ON-OFF · DALI-2 · 1-10V · Casambi.

SPECIFICATIONS

Light colour	**2700–4000K · tunable white**
Colour rendering	**CRI 80/90**
Control	**ON-OFF · DALI-2 · 1-10V · Casambi**

Custom work

Custom work possible. We tailor dimensions, light colour, optics and finish per project, so the luminaire integrates seamlessly with your design, ceiling system and lighting needs.



Meson Pro 190

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF CASAMBI



Meson Pro 190-C

SURFACE-MOUNTED LUMINAIRES

DALI-2 ON-OFF CASAMBI



Meson Pro 190-S

PENDANT LUMINAIRES

DALI-2 ON-OFF CASAMBI



Meson Pro 190-Track

TRACK LUMINAIRES

DALI-2 ON-OFF CASAMBI



Meson Pro Refit

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF CASAMBI




Meson Square 180

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF CASAMBI

Meson

19 products · 2/3



Meson Square 180 Cardanic

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF CASAMBI



Meson Square 180 SAPP

CLIMATE-CEILING LUMINAIRES

DALI-2 ON-OFF CASAMBI



Meson Square 180 cardanic SAPP

CLIMATE-CEILING LUMINAIRES

DALI-2 ON-OFF CASAMBI



Meson round 100 Flat Trim

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF CASAMBI



Meson round 100 Fresnellens Flat Trim

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF CASAMBI



Meson round 190

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF CASAMBI



Meson round 190 Directable

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF CASAMBI



Meson round 190 Wallwasher

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF CASAMBI



Meson round 190-C

SURFACE-MOUNTED LUMINAIRES

DALI-2 ON-OFF CASAMBI

Meson

19 products · 3/3



Meson round 220 Aqua

IP/IK-RATED LUMINAIRES

DALI-2 ON-OFF CASAMBI



Meson round Directable Refit

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF CASAMBI



Meson round Refit

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF CASAMBI



Meson round wallwasher Refit

REFURBISHMENT LUMINAIRES

DALI-2 ON-OFF CASAMBI



REFERENCE PROJECT

Apple Museum

Utrecht

Light that lets the collection speak, subtly.

Metronome

11 products · 1/2


Metronome is a family of linear LED luminaires for climate ceilings and banded grids, with recessed lenses behind a louvre for low glare and high visual comfort. Available in 2700–4000K and tunable white, with a colour rendering of CRI 80/90, controllable via ON-OFF · DALI-2 · 1-10V · Casambi.

SPECIFICATIONS

Light colour	**2700–4000K · tunable white**
Colour rendering	**CRI 80/90**
Control	**ON-OFF · DALI-2 · 1-10V · Casambi**

Custom work


Custom work possible. We tailor dimensions, light colour, optics and finish per project, so the luminaire integrates seamlessly with your design, ceiling system and lighting needs.



Metronome-B

RECESSED AND INLAY LUMINAIRES


DALI-2 ON-OFF CASAMBI



Metronome-C

SURFACE-MOUNTED LUMINAIRES

DALI-2 ON-OFF CASAMBI



Metronome-CG Square 600x600

CONCEALED SUPPORT-PROFILE LUMINAIRES


DALI-2 ON-OFF CASAMBI



Metronome-K

CLIMATE-CEILING LUMINAIRES


DALI-2 ON-OFF CASAMBI



Metronome-M 300x1200

RECESSED AND INLAY LUMINAIRES

DALI-2 ON-OFF CASAMBI




Metronome-M 300x1500

RECESSED AND INLAY LUMINAIRES

DALI-2 ON-OFF CASAMBI

Metronome


11 products · 2/2



Metronome-M Square 600x600

RECESSED AND INLAY LUMINAIRES

DALI-2 ON-OFF CASAMBI



Metronome-RF Refurbishment

REFURBISHMENT LUMINAIRES

DALI-2 ON-OFF CASAMBI



Metronome-S Black

PENDANT LUMINAIRES

DALI-2 ON-OFF CASAMBI



Metronome-S White

PENDANT LUMINAIRES

DALI-2 ON-OFF CASAMBI



Metronome-Track

TRACK LUMINAIRES

DALI-2 ON-OFF CASAMBI



REFERENCE PROJECT

Heutink

Nijverdal

Efficient, comfortable task light across the full width.

Miro

12 products · 1/2

Miro is a versatile family of track and pendant luminaires in black and white. Whether you dress spaces with adjustable 3-phase track luminaires or fill them with sleek pendants: Miro offers a broad, mutually coordinated programme for project interiors. Available in 2700–4000K and tunable white, with a colour rendering of CRI 80/90, controllable via ON-OFF · DALI-2 · 1-10V · Casambi.

SPECIFICATIONS

Light colour	**2700–4000K · tunable white**
Colour rendering	**CRI 80/90**
Control	**ON-OFF · DALI-2 · 1-10V · Casambi**

Custom work


Custom work possible. We tailor dimensions, light colour, optics and finish per project, so the luminaire integrates seamlessly with your design, ceiling system and lighting needs.



Miro-B

RECESSED AND INLAY LUMINAIRES

DALI-2 ON-OFF CASAMBI



Miro-C

SURFACE-MOUNTED LUMINAIRES

DALI-2 ON-OFF CASAMBI

Miro-CG Square 600x600

CONCEALED SUPPORT-PROFILE LUMINAIRES


DALI-2 ON-OFF CASAMBI



Miro-K

CLIMATE-CEILING LUMINAIRES


DALI-2 ON-OFF CASAMBI



Miro-M 300x1200

RECESSED AND INLAY LUMINAIRES

DALI-2 ON-OFF CASAMBI




Miro-M 300x1500

RECESSED AND INLAY LUMINAIRES

DALI-2 ON-OFF CASAMBI

Miro

12 products · 2/2



Miro-M Square 600x600 Model 1


RECESSED AND INLAY LUMINAIRES

DALI-2 ON-OFF CASAMBI

Miro-M Square 600x600 Model 2

RECESSED AND INLAY LUMINAIRES

DALI-2 ON-OFF CASAMBI



Miro-RF Refurbishment

REFURBISHMENT LUMINAIRES

DALI-2 ON-OFF CASAMBI



Miro-S Black

PENDANT LUMINAIRES


DALI-2 ON-OFF CASAMBI



Miro-S White

PENDANT LUMINAIRES

DALI-2 ON-OFF CASAMBI



Miro-Track

TRACK LUMINAIRES

DALI-2 ON-OFF CASAMBI

Moonglow

2 products

Moonglow is a family of round LED surface-mounted luminaires (290 mm) with a soft, even light image. Available in black and white and with direct and indirect light distribution, the circular luminaires give spaces a calm, decorative appearance. Available in 2700–4000K and tunable white, with a colour rendering of CRI 80/90, controllable via ON-OFF · DALI-2 · 1-10V · Casambi.

SPECIFICATIONS

Light colour	**2700–4000K · tunable white**
Colour rendering	**CRI 80/90**
Control	**ON-OFF · DALI-2 · 1-10V · Casambi**



Moonglow round 290 Black

SURFACE-MOUNTED LUMINAIRES

DALI-2 ON-OFF CASAMBI



Moonglow round 290 White

SURFACE-MOUNTED LUMINAIRES

DALI-2 ON-OFF CASAMBI

A selection of our completed projects
















Mosa

2 products

Mosa is a range of retrofit LED kits by Atomis with which existing fluorescent (T8) luminaires are easily converted to high-quality LED lighting. Available in 3000–4000K, with a colour rendering of CRI 80/90, controllable via ON-OFF · DALI-2 · 1-10V · Casambi.

SPECIFICATIONS

Light colour	**3000–4000K**
Colour rendering	**CRI 80/90**
Control	**ON-OFF · DALI-2 · 1-10V · Casambi**



Mosa TL(T8) LED-kit Magnetic

RETROFIT

DALI-2 ON-OFF CASAMBI



Mosa TL(T8) LED-kit Mechanical

RETROFIT

DALI-2 ON-OFF CASAMBI

Myos

7 products · 1/2

Myos is a family with a multi-optic configuration for precisely tuned light. The range combines recessed/inlay luminaires (300x1200 and 300x1500 mm) with pendant versions, so you choose the right light distribution and mounting method per space. Available in 3000–4000K, with a colour rendering of CRI 80/90, controllable via ON-OFF · DALI-2 · 1-10V · Casambi.

SPECIFICATIONS

Light colour	**3000–4000K**
Colour rendering	**CRI 80/90**
Control	**ON-OFF · DALI-2 · 1-10V · Casambi**

Custom work

Custom work possible. We tailor dimensions, light colour, optics and finish per project, so the luminaire integrates seamlessly with your design, ceiling system and lighting needs.



Myos Essential-S

PENDANT LUMINAIRES


DALI-2 ON-OFF CASAMBI



Myos Multiple Pendant

PENDANT LUMINAIRES


DALI-2 ON-OFF CASAMBI



Myos-CG Square 600x600

CONCEALED SUPPORT-PROFILE LUMINAIRES


DALI-2 ON-OFF CASAMBI



Myos-M 300x1200

RECESSED AND INLAY LUMINAIRES


DALI-2 ON-OFF CASAMBI



Myos-M 300x1500

RECESSED AND INLAY LUMINAIRES

DALI-2 ON-OFF CASAMBI



Myos-M Square 600x600

RECESSED AND INLAY LUMINAIRES

DALI-2 ON-OFF CASAMBI

Myos

7 products · 2/2



Myos-S2 90x1710 Up/Down

PENDANT LUMINAIRES

DALI-2 ON-OFF CASAMBI



REFERENCE PROJECT

Dorpsplein

Vleuten

Atmospheric lighting that brings the public space to life.

Oculus

8 products · 1/2

Oculus is a range of LED spots by Atomis with a diameter of 80 mm, available in a broad palette of finishes and in semi-recessed and surface-mounted versions. Available in 3000–4000K, with a colour rendering of CRI 90, controllable via ON-OFF · DALI-2.

SPECIFICATIONS


Light colour	**3000–4000K**
Colour rendering	**CRI 90**
Control	**ON-OFF · DALI-2**



Oculus 80 Black

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF



Oculus 80 Black Chrome

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF



Oculus 80 Champagne

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF



Oculus 80 Gold

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF



Oculus 80 Gunmetal

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF




Oculus 80 White

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF

Oculus

8 products · 2/2



Oculus 80-C Black

SURFACE-MOUNTED LUMINAIRES

DALI-2 ON-OFF



Oculus 80-C White

SURFACE-MOUNTED LUMINAIRES

DALI-2 ON-OFF


Oxo

5 products

Oxo is a broad office range that combines climate-ceiling and louvre luminaires with adjustable downlights and recessed spots. This lets you light a complete working environment — from even task light to focused accents — with one coherent family. Available in 3000–4000K, with a colour rendering of CRI 90, controllable via ON-OFF · DALI-2 · 1-10V · Casambi.

SPECIFICATIONS

Light colour	**3000–4000K**
Colour rendering	**CRI 90**
Control	**ON-OFF · DALI-2 · 1-10V · Casambi**



Oxo 35-L

LOUVRE-CEILING LUMINAIRES

DALI-2 ON-OFF CASAMBI



Oxo 35-SAPP

CLIMATE-CEILING LUMINAIRES

DALI-2 ON-OFF CASAMBI



Oxo-R35 Black

DOWNLIGHTS AND RECESSED SPOTS


DALI-2 ON-OFF CASAMBI



Oxo-R35 White

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF CASAMBI



Oxo-RF Refurbishment

REFURBISHMENT LUMINAIRES

DALI-2 ON-OFF CASAMBI


Prime

1 product

Track spot with precision optics and CRI ≥ 97, specifically designed for high light quality in museums and galleries. Available in 3000–4000K, with a colour rendering of CRI 90/97, controllable via ON-OFF · DALI-2 · 1-10V · Casambi.

SPECIFICATIONS

Light colour	**3000–4000K**
Colour rendering	**CRI 90/97**
Control	**ON-OFF · DALI-2 · 1-10V · Casambi**



Prime

TRACK LUMINAIRES

DALI-2 ON-OFF CASAMBI



REFERENCE PROJECT

De Vlieger Primary School

Purmerend

Calm, healthy light for an optimal learning environment.

Sirio

12 products · 1/2

Sirio is a broadly deployable family that unites pendant lighting and climate-ceiling luminaires. From slim pendants (Sirio-S, 900 and 1500 mm) to louvre versions for climate ceilings (Easy-KlimaPlus), Sirio covers a wide range of project needs with one design language. Available in 3000–4000K, with a colour rendering of CRI 80/90, controllable via ON-OFF · DALI-2 · 1-10V · Casambi.

SPECIFICATIONS

Light colour	**3000–4000K**
Colour rendering	**CRI 80/90**
Control	**ON-OFF · DALI-2 · 1-10V · Casambi**



Sirio-SAPP 900

CLIMATE-CEILING LUMINAIRES

DALI-2 ON-OFF CASAMBI



Sirio-SAPP 1200

CLIMATE-CEILING LUMINAIRES


DALI-2 ON-OFF CASAMBI



Sirio-SAPP 1500

CLIMATE-CEILING LUMINAIRES


DALI-2 ON-OFF CASAMBI



Sirio-Easy-KlimaPlus 900

CLIMATE-CEILING LUMINAIRES


DALI-2 ON-OFF CASAMBI



Sirio-Easy-KlimaPlus 1200

CLIMATE-CEILING LUMINAIRES

DALI-2 ON-OFF CASAMBI




Sirio-Easy-KlimaPlus 1500

CLIMATE-CEILING LUMINAIRES

DALI-2 ON-OFF CASAMBI

Sirio


12 products · 2/2



Sirio-WEC 900

CLIMATE-CEILING LUMINAIRES


DALI-2 ON-OFF CASAMBI



Sirio-WEC 1200

CLIMATE-CEILING LUMINAIRES

DALI-2 ON-OFF CASAMBI



Sirio-WEC 1500

CLIMATE-CEILING LUMINAIRES

DALI-2 ON-OFF CASAMBI



Sirio-S 900

PENDANT LUMINAIRES

DALI-2 ON-OFF CASAMBI



Sirio-S 1200

PENDANT LUMINAIRES

DALI-2 ON-OFF CASAMBI



Sirio-S 1500

PENDANT LUMINAIRES

DALI-2 ON-OFF CASAMBI

Skyline

1 product


Skyline is a bespoke daylight solution for concealed support profiles, developed for museum and representative spaces where light quality, preservation and experience come together. Available in 2700–4000K and tunable white, with a colour rendering of CRI 80/90, controllable via ON-OFF · DALI-2 · 1-10V · Casambi.

SPECIFICATIONS

Light colour	**2700–4000K · tunable white**
Colour rendering	**CRI 80/90**
Control	**ON-OFF · DALI-2 · 1-10V · Casambi**

Custom work

Custom work possible. We tailor dimensions, light colour, optics and finish per project, so the luminaire integrates seamlessly with your design, ceiling system and lighting needs.



Skyline


CONCEALED SUPPORT-PROFILE LUMINAIRES

DALI-2 · ON-OFF · CASAMBI

A selection of our completed projects
















Stratos

6 products


Stratos is a family of architectural project luminaires for offices, retail and hospitality that combines sleek, timeless design with comfortable, high-quality light. Available in 2700–4000K and tunable white, with a colour rendering of CRI 80/90, controllable via ON-OFF · DALI-2 · 1-10V · Casambi.

SPECIFICATIONS

Light colour	**2700–4000K · tunable white**
Colour rendering	**CRI 80/90**
Control	**ON-OFF · DALI-2 · 1-10V · Casambi**

Custom work


Custom work possible. We tailor dimensions, light colour, optics and finish per project, so the luminaire integrates seamlessly with your design, ceiling system and lighting needs.



Stratos-B 100

RECESSED AND INLAY LUMINAIRES

DALI-2 ON-OFF CASAMBI



Stratos-B 70

RECESSED AND INLAY LUMINAIRES

DALI-2 ON-OFF CASAMBI



Stratos-K 100

CLIMATE-CEILING LUMINAIRES


DALI-2 ON-OFF CASAMBI



Stratos-K 70

CLIMATE-CEILING LUMINAIRES


DALI-2 ON-OFF CASAMBI



Stratos-Y 100

CLIMATE-CEILING LUMINAIRES

DALI-2 ON-OFF CASAMBI



Stratos-Y 70

CLIMATE-CEILING LUMINAIRES

DALI-2 ON-OFF CASAMBI

Track

2 products


Track is a family of rectangular LED luminaires for climate and louvre ceilings, fully dimmable via DALI-2. This lets you effortlessly tune the light level to daylight and use, with a sleek and calm ceiling image. Available as a climate-ceiling version (Track-K) and as a recessed/inlay variant (Track-B). Available in 3000–4000K, with a colour rendering of CRI 80/90, controllable via ON-OFF · DALI-2.

SPECIFICATIONS

Light colour	**3000–4000K**
Colour rendering	**CRI 80/90**
Control	**ON-OFF · DALI-2**

Custom work


Custom work possible. We tailor dimensions, light colour, optics and finish per project, so the luminaire integrates seamlessly with your design, ceiling system and lighting needs.



Track-B

RECESSED AND INLAY LUMINAIRES

DALI-2 ON-OFF



Track-K

CLIMATE-CEILING LUMINAIRES

DALI-2 ON-OFF

Vector

6 products

Vector is a range of linear LED recessed luminaires by Atomis with a louvre optic, available in white and black and in fixed and adjustable versions. Available in 3000–4000K, with a colour rendering of CRI 90, controllable via ON-OFF · DALI-2.

SPECIFICATIONS

Light colour	**3000–4000K**
Colour rendering	**CRI 90**
Control	**ON-OFF · DALI-2**



Vector-125 Black

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF



Vector-125 White

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF



Vector-70 Black

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF



Vector-70 White

DOWNLIGHTS AND RECESSED SPOTS


DALI-2 ON-OFF



Vector-Adjustable Black

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF



Vector-Adjustable White

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF

Vintare

2 products


Vintare is a versatile family of rectangular LED luminaires for professional spaces where light blends naturally into the interior. The lens-and-louvre optic ensures an even, low-glare light image (UGR <19), whether you choose the climate-ceiling version (Vintare-K) or the recessed/inlay variant (Vintare-B). Available in 2700–4000K and tunable white, with a colour rendering of CRI 80/90, controllable via ON-OFF · DALI-2 · 1-10V · Casambi.

SPECIFICATIONS

Light colour	**2700–4000K · tunable white**
Colour rendering	**CRI 80/90**
Control	**ON-OFF · DALI-2 · 1-10V · Casambi**

Custom work


Custom work possible. We tailor dimensions, light colour, optics and finish per project, so the luminaire integrates seamlessly with your design, ceiling system and lighting needs.



Vintare-B

RECESSED AND INLAY LUMINAIRES

DALI-2 · ON-OFF · CASAMBI



Vintare-K

CLIMATE-CEILING LUMINAIRES

DALI-2 · ON-OFF · CASAMBI



REFERENCE PROJECT

Moonar

Luxembourg

Refined accent light in a premium setting.


Zumo

21 products · 1/3

Zumo is a family of adjustable LED track spots with a zoom lens for 3-phase track, with which you place accents precisely — ideal for retail, museums and representative spaces. Available in 3000–4000K and tunable white, with a colour rendering of CRI 90/97, controllable via ON-OFF · DALI-2 · 1-10V · Casambi.

SPECIFICATIONS

Light colour	**3000–4000K · tunable white**
Colour rendering	**CRI 90/97**
Control	**ON-OFF · DALI-2 · 1-10V · Casambi**



Zumo 35 vario Black

TRACK LUMINAIRES


DALI-2 ON-OFF CASAMBI



Zumo 35 vario White

TRACK LUMINAIRES

DALI-2 ON-OFF CASAMBI



Zumo 60 Vario Black

TRACK LUMINAIRES


DALI-2 ON-OFF CASAMBI



Zumo 60 Vario White

TRACK LUMINAIRES

DALI-2 ON-OFF CASAMBI



Zumo 60 contour Black

TRACK LUMINAIRES

DALI-2 ON-OFF CASAMBI



Zumo 60 contour White

TRACK LUMINAIRES

DALI-2 ON-OFF CASAMBI

Zumo

21 products · 2/3



Zumo 60-C Vario Black

SURFACE-MOUNTED LUMINAIRES

DALI-2 ON-OFF CASAMBI



Zumo 60-C Vario White

SURFACE-MOUNTED LUMINAIRES

DALI-2 ON-OFF CASAMBI



Zumo 60-R Vario Black

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF CASAMBI



Zumo 60-R Vario White

DOWNLIGHTS AND RECESSED SPOTS

DALI-2 ON-OFF CASAMBI



Zumo 80 contour Black

TRACK LUMINAIRES


DALI-2 ON-OFF CASAMBI



Zumo 80 contour White

TRACK LUMINAIRES

DALI-2 ON-OFF CASAMBI



Zumo 90 Vario Black

TRACK LUMINAIRES


DALI-2 ON-OFF CASAMBI



Zumo 90 Vario White

TRACK LUMINAIRES

DALI-2 ON-OFF CASAMBI



Zumo Vario Barndoor Black


ACCESSORIES

Zumo

21 products · 3/3



Zumo Vario Barndoor White
ACCESSORIES



Zumo Vario Colour Filter Lens
ACCESSORIES



Zumo Vario Honeycomb louver Black
ACCESSORIES



Zumo Vario Oval lens
ACCESSORIES



Zumo Vario Softening lens
ACCESSORIES



Zumo Vario Wide flood lens
ACCESSORIES

Our approach

From advice to perfect light · in ten steps

01 **Advice**

An initial conversation and advisory session with a lighting expert, on site or digitally, to determine what your space needs.

02 **Survey**

A specialist surveys the space, architecture and lighting needs, and aligns on control, light colours and project requirements.

03 **Design**

We translate your wishes into a lighting design with suitable luminaires, transparent costs and lighting calculations per room.

04 **Quotation**

You receive the quotation, explained in person if desired, supported by a lighting study, calculations and visualisations.

05 **On commission**

We prepare the final lighting studies in line with the project requirements, where relevant with an eye to BREEAM and WELL certification.

06 **Planning**

We align planning, communication and delivery with a small, fixed project team. You receive an order confirmation and, for custom work, an approval document to check.

07 **Production**

After your approval, the luminaires are produced and assembled in the Netherlands, with attention to circularity, sustainability and social return (SROI).

08 **Delivery**

Delivery on site in the Netherlands and Belgium with our own transport, with a joint inspection on arrival.

09 **Optional**

On request we install the luminaires on site — mounting only, excluding electrical installation work.

10 **Aftercare**

Support for questions, maintenance and optimisation after handover, and renewed advice if the space or its use changes.

Sales and project enquiries

E-mail: info@atomis.nl

Phone: +31 (0)23 554 09 20


A selection of our completed projects















“You don’t see perfect light

—

you feel it.”

At Atomis we make lighting that brings spaces to life and lets every project shine. Developed and produced in the Netherlands, light perfected.

Atomis
architectural lighting

Jadelaan 33, 2132 XX Hoofddorp, the Netherlands

+31 (0)23 554 09 20 · info@atomis.nl

www.atomis.nl